8/a/93)

Reviewed: 9/27/93 Recommend: H G. Ferreira

PRELIMINARY ASSESSMENT

HALLER TESTING LABORATORIES, INC.

AKA: HALLER TESTING COMPANY, INC.

AKA: HALLER AND SHIMEL CONSULTING ENGINEERS, INC.

AKA: HALLER ENGINEERING ASSOCIATES INC.

PLAINFIELD CITY, UNION COUNTY EPA ID NO.: NJD986578284



New Jersey Department of Environmental Protection and Energy Division of Responsible Party Site Remediation Bureau of Field Operations, Site Assessment HALLER TESTING LABORATORIES, INC.
AKA: HALLER TESTING COMPANY, INC.
AKA: HALLER ENGINEERING ASSOCIATES INC.
AKA: HALLER AND SHIMEL CONSULTING ENGINEERS, INC.
336 LELAND AVENUE
PLAINFIELD CITY, UNION COUNTY, NEW JERSEY
EPA ID NO. NJD986578284

TABLE OF CONTENTS

NARRATIVE

MAPS

- 1. UNITED STATES GEOLOGICAL SURVEY (USGS) TOPOGRAPHIC MAP PLAINFIELD & CHATHAM QUADRANGLES
- 2A. SITE MAP (JUNE 28 1993)
- 2B. SITE MAP (SANBORN FIRE INSURANCE 1910)
- 2C. SITE MAP (SANBORN FIRE INSURANCE AUGUST 1929)
- 3. CITY OF PLAINFIELD TAX MAP (MARCH 24, 1987)
- 4. UNION COUNTY ROAD MAP (1983)
- 5. WATER WITHDRAWAL POINTS MAP

ATTACHMENTS

- A. NJDEP, DIVISION OF ENVIRONMENTAL QUALITY (DEQ), LETTER RE: INCIDENT WITH A MOISTURE DENSITY GAUGE; JULY 16, 1974
- B. NJDEP, DEQ, BUREAU OF RADIATION PROTECTION (BRP), LETTER RE: TERMINATION OF RADIOACTIVE MATERIALS LICENSE; OCTOBER 20, 1983
- C. NJDEP, DIVISION OF WATER RESOURCES (DWR), LETTER RE: PLAINFIELD GROUND WATER INVESTIGATION; SEPTEMBER 16, 1985
- D. NJDEP, DWR, LETTER RE: PLAINFIELD GROUND WATER INVESTIGATION; MARCH 13, 1986
- E. NJDEP, DEQ, ORDER; MARCH 19, 1986
- F. NJDEP, DWR, INVESTIGATION MEMORANDUM; APRIL 28, 1986
- G. NJDEP, DWR, LETTER RE: PLAINFIELD GROUND WATER INVESTIGATION; MAY 30, 1986
- H. NJDEP, DWR, INVESTIGATION MEMORANDUM; AUGUST 5, 1986
- I. NJDEP, DWR, ADMINISTRATIVE ORDER AND NOTICE OF CIVIL ADMINISTRATIVE PENALTY ASSESSMENT; MAY 21, 1987

J. NJDEP, DEQ, BUREAU OF ENVIRONMENTAL RADIATION (BER), LETTER RE: NOTICE OF LICENSE EXPIRATION; JUNE 1, 1987

THE PARTY OF THE P

K. NJDEP, DEQ, ADMINISTRATIVE ORDER & FIELD RECORD OF VIOLATIONS; SEPTEMBER 1, 1987 & SEPTEMBER 17, 1987

- L. NJDEP, DWR, LETTER RE: ADMINISTRATIVE ORDER AND NOTICE OF CIVIL ADMINISTRATIVE PENALTY ASSESSMENT; JANUARY 25, 1988
- M. NJDEP, DWR, REPORT OF PHONE CALL OR VISIT; FEBRUARY 4, 1988
- N. NJDEP, DEQ, NOTICE OF PROSECUTION & FIELD RECORD OF VIOLATIONS; NOVEMBER 19, 1987 & JULY 5, 1988
- O. NJDEP, DEQ, LETTER RE: NOTICE OF LICENSE EXPIRATION; JANUARY 10, 1989
- P. NJDEP, LETTER RE: SUMMARY OF ATTORNEY GENERAL REFERRAL; FEBRUARY 14, 1989
- Q. NJDEP, DEQ, NOTICE OF PROSECUTION & FIELD RECORD OF VIOLATIONS; FEBRUARY 19, 1989 & JANUARY 20, 1989
- R. NJDEP, BER, APPLICATION FOR RADIOACTIVE MATERIALS LICENSE; APRIL 25, 1989
- S. HALLER TESTING LABORATORIES, INC., LETTER RE: RADIOACTIVE MATERIALS LICENSE; MAY 17, 1989
- T. HALLER TESTING LABORATORIES, INC., LETTER RE: RADIOACTIVE MATERIALS LICENSE; JUNE 19, 1989
- U. HALLER TESTING LABORATORIES, INC., LETTER RE: RADIOACTIVE MATERIALS LICENSE & LEAK TEST CERTIFICATES; DECEMBER 4, 1989
- V. NJDEP, DEQ, NOTICE OF PROSECUTION & FIELD RECORD OF VIOLATIONS; NOVEMBER 16, 1990 & DECEMBER 12, 1990
- W. NJDEP, DIVISION OF ENVIRONMENTAL SAFETY, HEALTH AND ANALYTICAL PROGRAMS, LETTER RE: NOTICE OF LICENSE EXPIRATION; FEBRUARY 21, 1992
- X. NJDEP, BER, APPLICATION FOR RADIOACTIVE MATERIALS LICENSE; MARCH 10, 1992
- Y. NJDEPE, DIVISION OF ENVIRONMENTAL SAFETY, HEALTH AND ANALYTICAL PROGRAMS, LETTER RE: INSPECTION REPORT; NOVEMBER 16, 1992
- Z. NJDEPE, DIVISION OF FACILITY WIDE ENFORCEMENT, ADMINISTRATIVE ORDER; JANUARY 9, 1993

- AA. NJDEPE, DIVISION OF RESPONSIBLE PARTY SITE REMEDIATION (DRPSR), BUREAU OF FIELD OPERATIONS (BFO), SITE ASSESSMENT, MEMO RE: PRE-SAMPLING ASSESSMENT (PSA); JUNE 21, 1993
- BB. NJDEP, BRP, RADIOACTIVE MATERIALS LICENSES; JULY 30, 1984 TO APRIL 8, 1992
- CC NJDEP, DIVISION OF HAZARDOUS WASTE MANAGEMENT (DHWM), MANIFESTS OF WASTE REMOVAL; 1990
- DD. NJDEP, DWR, COMPLIANCE EVALUATION INSPECTION PUBLIC COMMUNITY WATER SUPPLY; OCTOBER 20, 1992 & FEBRUARY 10, 1993
- EE. NJDEP, DWR, GEOLOGY AND GROUND WATER RESOURCES OF UNION COUNTY, NEW JERSEY; JUNE 1976
- FF. MISCELLANEOUS INFORMATION RE: HALLER TESTING LABORATORIES, INC.; 1991 1993

PHOTOGRAPHS

NARRATIVE

PRELIMINARY ASSESSMENT REPORT

PART I: GENERAL INFORMATION

Site Name: Haller Testing Laboratories, Inc.

Aka: Haller Testing Company, Inc.

Aka: Haller Engineering Associates Inc.

Aka: Haller and Shimel Consulting Engineers, Inc.

Address: 336 Leland Avenue

Municipality: Plainfield City State: NJ Zip Code: 07061

County: Union

EPA ID No.: NJD986578284

Block: 405 Lot(s): 7
Block: 405 Lot(s): 14

Block: 152 (old block #) Lot(s): 9 (old lot #) Latitude: 40° 37′ 53" Longitude: 74° 24′ 12"

Acreage: 75 ft by 145 ft SIC Code: 8731

Current Owner: Haller Testing Laboratories, Inc.

Mailing Address: 336 Leland Avenue

City: Plainfield State: NJ Zip Code: 07061

Telephone No.: 908-756-4637 (Disconnected)

Current Operator: No operator at this time.

Mailing Address:

City: State: Zip Code:

Telephone No.:

Owner/Operator History:

	DATI	ES	
NAME	OWNER	FROM	<u>TO</u>
Watson Whittlesey	owner	8/1891	unknown
Haller Engineering Associates Inc.	* owner	1927	8/8/1985
Haller and Shimel Consulting Engineers, Inc.	operator	** unknown	unknown
The Haller Testing Laboratories, Inc.	owner operator	8/8/1985 1927	present 1/1993

^{*} Haller Engineering Associates Inc. may also have been an operator at the site since the name appeared in the 1952 MacRae's Industrial Directory as a commercial testing laboratory.

^{**} Haller and Shimel Consulting Engineers, Inc. was operating in the early 1970s.

Surrounding Land Use (zoning, adjacent properties):

Haller Testing Laboratories, Inc. lies in a residential and industrial area. The adjacent properties are the A & F Cutter Corporation to the southeast and Specialty Companies to the northwest. The site extends from Leland Avenue to Watson Avenue. Towards Watson Avenue, there are residences on the northwest and southeast side of the property.

Distance to Nearest Residence: adjacent Direction: northwest & southeast Population Density (residents per square mile): 7,715

PART II: SITE OPERATIONS

Discuss all current and past operations at the site.

Haller Testing Laboratories, Inc. operations consisted of the physical testing of concrete cylinders for strength characteristics and asphalt sampling for the construction industry. According to MacRae's Industrial Directory, Haller Testing Laboratories, Inc. operated at the site from approximately 1927 to January 1993 as a researcher and tester of materials used in construction and engineering. In December 1992, the Federal Government placed a lien against the property for failure to pay federal taxes. The buildings are currently vacant.

A review of aerial photographs dating from 1940 to 1991 indicates that the main building was constructed prior to 1940 with the small building being erected between 1941 and 1950. Operations at the site from 1940 to the mid 1970s appear to have been conducted on Block 405 Lot 7. A house was located at the northwest corner of Block 405 Lot 14 from 1940 to the late 1970s. The house was later razed and storing operations extended onto the property.

The quantity of hazardous waste manifested off site in 1990 was 1,773 tons. The waste was identified as spent halogenated solvents, spent solvent mixtures/blends of halogenated solvents and still bottoms from the recovery of the spent solvents and spent solvent mixtures (F002).

As part of a ground water investigation of the Plainfield Industrial area, the New Jersey Department of Environmental Protection (NJDEP:, Division of Water Resources (DWR) conducted an inspection of the Haller Testing Company, Inc. on August 29, 1985. During the inspection it was observed that waste water from the sink in the asphalt testing room and the wetroom floor drains discharged into an unlined subsurface drainage pit on the northwest side of the facility; in addition, the sinks in the chemistry lab and the slop sink in the testing machine room discharged into an unlined subsurface drainage pit on the southeast side of the

facility. It was also noted during the inspection that the facility used 1,1,1-trichloroethane to dissolve asphalt samples as well as hydrochloric acid to wash concrete samples.

The state of the s

This inspection led to several sampling episodes within the drainage pits on the southeast and northwest sides of the building. Analytical data from soil sampling conducted at the facility on February 6, 1986 and April 28, 1986 revealed elevated concentrations of volatile organic compounds (VOCs).

On January 2, 1986 Mr. Roger Haller was contacted by telephone by a representative of the NJDEP. During that telephone conversation, Mr. Haller stated that the sink in the chemistry lab had been disconnected from the subsurface drainage pit. The sink in the asphalt room was still in use and arrangements were being made to connect to the sanitary sewer or to a holding tank.

On February 3, 1988, a representative of the New Jersey Department of Law and Public Safety, Division of Criminal Justice inspected Haller Testing Laboratories, Inc. and observed that the facility continued to discharge the waste water from the sinks in chemistry lab and testing machine room into the drainage pits.

During an inspection in June 1991 at an adjacent facility, Duragraphic Systems, a white, milky liquid discharge was noted emanating from Haller Testing Laboratories, Inc. by Whitman Companies, Incorporated of East Brunswick, New Jersey. The discharge was concrete and rinse water from washing the molds used to make the cylinders and was directed outside the building by a pipe through the wall. The point of discharge was unknown.

Haller Testing Laboratories, Inc. had Radioactive Material License # NJSL-10130 which allowed them to possess and use moisture density gauges. Moisture density gauges are sealed radioactive sources that contain radium-226 and beryllium. The instruments were used to measure the moisture content and density of soils, soil-stone aggregates, cement and asphalt treated bases related to the construction industry. Documentation indicates the facility was licensed and possessed three moisture density gauges; however, an unregistered gauge was discovered on site by the NJDEPE, Division of Facility Wide Enforcement, Bureau of Environmental Radiation (BER) in 1992. Mr. Haller stated that he had no knowledge of where the instrument came from but agreed to properly dispose of it.

A Pre-Sampling Assessment (PSA) was conducted by the NJDEPE, DRPSR, BFO, Site Assessment (SA) on June 21, 1993. Two buildings were located on site. The main building was constructed of brick and masonry and was locked. A small building with two garage doors was located 20 feet south of the main building. The ground surface, except for both outer edges of the site along the wooden fence, was covered by mixed soil and stone. The drainage pits were not locatable at the site. Two 55-gallon drums were located on the rear porch. One drum was full with the label 1,1,1-trichloroethane and the other was half-full with the label hazardous waste. On the

north side of the main building were six galvanized steel tubs (8 feet by 2 feet by 2 feet), two empty 55-gallon drums and one empty 25-gallon drum along the Specialty Company's building wall. There were three large piles of cement cylinders approximately 12 feet west of the main building. Running along the west side wooden fence were the following: an approximately 275-gallon fuel oil above ground storage tank, one empty plastic 55-gallon drum, two trailers, a boat, numerous empty 55-gallon steel drums and a dock constructed of wood beams and empty 55-gallon drums. Running along the east side wooden fence was approximately 30 empty 55-gallon Adjacent to the southwest wall of the drums and another dock. small building were two unlabeled 55-gallon drums and one propane One of the drums had no lid and was filled with dirt and rain water; while, the other drum was empty. Monitoring with a photoionization detector (HNu) and an Organic Vapor Analyzer (OVA) was conducted around the two buildings, drum locations and numerous other areas of the site and no significant readings were observed.

Adjacent to the southeast garage door of the small building, a radiation meter indicated readings of 50 micro Roentgens/hour (R/hr). Background radiation was detected at ~20 micro R/hr. garage door was unlocked and upon it being opened, a 2.5-foot by 1.5-foot wooden box was observed towards the right side of the The box had the following two labels on it: "Special building. Form Type A, Radioactive Material Sealed Source, U.S.A. DOT 7A" and "Radioactive Material". Within 2 feet of the box, the radiation meter indicated a reading of a 1,000 micro R/hr. Site Assessment contacted the NJDEPE Hot Line, the NJDEPE, DRPSR, Bureau of Emergency Response (BER) and the NJDEPE, Division of Facility Wide Enforcement, BER regarding an unidentified radiation source. NJDEPE, Division of Facility Wide Enforcement, BER investigated the incident on June 22, 1993 and identified the radiation source to be the unregistered moisture density gauge. At that time, the small building was secured from unauthorized entry.

PART III: PERMITS

A. NJPDES

Discharge Date Expiration Formation or Body of Number Activity Issued Date Water Discharged To

N/A

B. New Jersey Air Pollution Control Certificates

Plant ID No.: N/A No. of Certificates: Equipment Permitted:

C. BUST Registration

Registration No.: N/A

No. of Tanks: N/A

Capacity

Tank No. (qallons) Contents of Tank Integrity

N/A

D. Other Permits

Agency	Type of	Permit No.	Date	Expiration
<u>Issuing Permit</u>	<u>Permit</u>		<u>Issued</u>	<u>Date</u>
NJDEPE, DEQ, BER	License	NJSL-10130	4/8/92	5/1/94

PART IV: GROUND WATER ROUTE

A. HYDROGEOLOGY

Describe geologic formations and aquifer(s) of concern. Include interconnections, confining layers, discontinuities, composition and permeability.

The Brunswick Formation is the major aquifer in Union County and underlies most of the county. Water in this formation occurs in joints and fractures. These joints and fractures become progressively tighter and fewer with increasing depth below land surface. Only moderate quantities of water can be stored or transmitted in these fractures.

In the southern part of Union County the rocks are mantled by unconsolidated Pleistocene deposits that contain silt and clay beds. In the lowland areas the silt and clay beds may confine water in the underlying rocks causing artesian conditions.

Wells tapping the Brunswick Formation generally draw water from several water-bearing zones. In areas where the rocks are exposed or covered by a thin layer of unconsolidated sediments, the shallow water-bearing zones contain unconfined water to depth of about 200 or 300 feet. If wells penetrate to depths between 200 and 600 feet or more, confined zones of greater permeability are intercepted and have the greatest yield.

Depth to aquifer of concern: 34 feet
Thickness of aquifer: 200 - 300 feet
Direction of ground water flow: unknown

Karst (Y/N): No

Wellhead Protection Area (Y/N): No Distance: N/A

B. MONITORING WELL INFORMATION

Screen

Well No. Depth

Formation

Location

and the state of t

No monitoring wells are present on site.

Identify the upgradient well(s): N/A

Briefly describe contaminants identified in the monitoring wells. Include Well No., sampling date, sampling agency or company, contaminant levels and cleanup standards.

N/A

C. POTABLE WELL INFORMATION

Distance to nearest potable well: 0.2 mile

Identify all public supply wells within 4 miles of the site:

Water Company	Distance from site (miles)	Depth (feet)	Formation
Elizabethtown	3.1	350	GTRB
Water Company	0.2	500	GTRB
	0.2	400	GTRB
	0.2	300	GTRB
	0.2	304	GTRB
	0.2	350	GTRB
	0.2	350	GTRB
	0.2	350	GTRB
Middlesex Water Co.	2.3	101	GQSD
	2.3	151	GQSD
	2.4		GQSD
	2.4	500	GTRB
	2.5	500	GTRB
	2.5	501	GTRB
	2.6	501	GTRB
	2.6	500	GTRB
	2.6	74	GQSD
	2.6	767	GQSD
	2.6	82	GQSD
	2.6	73	GQSD
	2.6	514	GTRB
	2.6	110	GQSD
	2.7		GTRB
	2.8	608	GTRB

Water Company	Distance from site <u>(miles)</u>	Depth (feet)	<u>Formation</u>
Middlesex Water Co.	2.8	495	GTRB
	3.1	502	GTRB
	3.1	560	GTRB
	3.1	507	GTRB
	3.1	508	GTRB
	3.1	532	GTRB
	3.1	540	GTRB
	3.3	501	GTRB
	3.4	629	GTRB
	3.4	700	GTRB
	3.4	500	GTRB
	3.4	504	GTRB
	3.4	500	GTRB

GTRB = Brunswick Formation
GQSD = Pleistocene - Stratified Drift

--- = information is not available

* Elizabethtown Water Company owns 93 public supply wells; however, only twelve wells are in service at this time (10 are within 4 miles).

Discuss private potable well use within 4 miles of the site. Include depth, formation and distance, if available.

There is no private potable well use within the City of Plainfield. There are numerous private potable wells in Green Brook Township, Watchung Township and Warren Township 2.5 to 4 miles from the site.

Distance from site (miles)	Population utilizing groundwater
0 - 1/4	30,070
1/4 - 1/2	0
1/2 - 1	0
1 - 2	0
2 - 3	125,390
3 - 4	87,895

Discuss any evidence of contaminated drinking water or wells closed due to contamination.

There is no evidence of contaminated drinking water or wells closed due to contamination from the facility.

Identify industrial/irrigational wells within the vicinity of the site. Include depth, formation, distance and direction, if available.

Industrial Name	Distance (miles)	Direction	Depth (feet)	<u>Formation</u>
Lord & Taylor	2.8	Northeast	600	GTRB
Custom Molders Corporation	1.7	North	514	GTRB
Design and Molding Services	4.0 4.0	Southwest	390 294	GTRB GTRB
Kentile Floors, Inc	. 3.5 3.5	South	240 174	GTRB GTRB
Macys New Jersey, Inc.	2.2 2.2 2.2	South	501 34 39	GTRB GTRB GTRB
Reheis Chemical Company, Inc.	3.9 3.8 3.9	Northwest	255 303 305	GTRBS GTRBS GTRBS
National Starch & Chemical	3.6 3.7 3.6 4.0	Southwest	300 304 436 600	GTRB GTRB GTRB GTRB
Irrigational Name	Distance (miles)	Direction	Depth (feet)	<u>Formation</u>
Somerset County Park Commission	3.5	West	115	GTRB
Plainfield Country Club	2.7 2.7	South	600 204	GTRB GTRB
,	ייאם ממחיי	naviak Forms	tion	

GTRB = Brunswick Formation GTRBS = Triassic Basalt

D. POTENTIAL

Discuss the potential for ground water contamination, including any other information concerning the ground water contamination route.

Haller Testing Laboratories, Inc. is a probable contributor to the ground water contamination in the Plainfield area. Investigations and sampling by the NJDEP, Division of Water Resources (DWR) determined that the facility discharged waste water without a permit to two unlined subsurface drainage pits. Soil sampling

results (Part VIII: Soil Exposure) reveal elevated concentrations of volatile organics (VOs). Chloroform was detected at 36 parts per million (ppm), which is over the Soil Cleanup Criteria of 19 ppm.

PART V: SURFACE WATER ROUTE

A. SURFACE WATER

Does a migration pathway to surface water exist (Y/N): No Flood plain: Areas of minimal flooding Slope: < 3%

Does contaminated groundwater discharge to surface water (Y/N): No

Identify known or potentially contaminated surface water bodies. Follow the pathway of the surface water and indicate all adjoining bodies of water along a route of 15 stream miles.

Distance
Surface Water Body from site Flow(cfs) Usage(s)

N/A

Identify drinking water intakes within 15 miles downstream (or upstream in tidal areas) of the site. For each intake identify the distance from the point of surface water entry, the name of the supplier and population served.

N/A

Briefly discuss surface water or sediment sampling conducted in relation to the site. Discuss visual observations if analytical data is not available (include date of observation). Include surface water body, sampling date, sampling agency or company, contaminant.

N/A

Discuss the potential for surface water contamination, include any additional information concerning the surface water route.

N/A

B. SENSITIVE ENVIRONMENTS

Identify all sensitive environments, including wetlands, along the 15 stream-mile pathway from the site:

Environment Type Surface Water Body Flow (cfs)

N/A

PART VI: AIR ROUTE

Discuss observed or potential air release.

There is no evidence in the available documentation of any observed air releases. Being that operations have ceased since January 1993 due to foreclosure, there is no potential for air contamination.

Populations that reside within 4 miles of the site.

Distance	(miles)	<u>Population</u>
0 -	1/4	120
1/4 -	1/2	3,060
1/2 -	1	4,320
1 -	2	20,665
2 -	3	26,415
3 -	4	28,280

Identify sensitive environments and wetland acreage within 1/2 mile of the site.

There are no sensitive environments or wetlands within 1/2 mile of the site.

PART VII: SOIL EXPOSURE

Describe soil type. Include soil series, makeup of the soil and permeability of the soil.

The site rests on Boonton - Urban Land complex. The Boonton series consists of deep, well- and moderately well-drained soils. Slope ranges from 0 to 15 percent. The thickness ranges from 40 to 60 inches.

Briefly discuss contaminants identified in the soil. Include sampling date, sampling agency or company, sample locations, depth and contaminant level.

On February 6, 1986 an inspection and soil sampling was conducted at the facility by the NJDEP, Division of Water Resources (DWR). Samples were collected from the top of the sludge in the two small drainage pits that were located on the southeast side and northwest side of the main building. The southeast drainage pit received discharges from the sink in the chemistry lab; while, a pipe outfall from the sink in the asphalt testing room discharged waste water to the northwest drainage pit. At the time of the sampling, the southeast drainage pit contained a red and gray sludge.

The following is a list of the sampling results that were analyzed by the New Jersey Department of Health (NJDOH) Laboratory for volatile organics:

SAMPLE LOCATIONS	CONTAMINANT	LEVEL (ppm)	Soil Cleanup Criteria (ppm)
Drainage pit (Southeast) side	ethylbenzene p-cymene toluene	.1 1.05 1	1,000 unknown 1,000
Drainage pit Pipe outfall (Northwest) side	VOCs	* ND	1,000

^{*} ND = Not detected

On April 28, 1986, the NJDEP, DWR resampled the unlined subsurface drainage pit (southeast side) at a depth of 12 inches below the top of the sludge. The results, as analyzed by the New Jersey Department of Health (NJDOH) Laboratory, are as follows:

CONTAMINANT	LEVEL (ppm)	Soil Cleanup Criteria (ppm)
1,1-dichloroethene	3.22	8
tetrachloroethene	.14	4
trichloroethene	1.35	23
1,1,-dichloroethane	3.56	570
chloroform	36	19

If no soil sampling has been conducted, discuss areas of potentially contaminated soil, areas that are visually contaminated or results from soil gas surveys.

 $N \setminus A$

Number of people that occupy residences or attend school or day care on or within 200 feet of the site: 15
Number of workers on or within 200 feet of the site: ~20

Does a subsurface gas threat exist? (Y/N): No If so, discuss the threat (include if in homes or occupied building). N\A

PART VIII: DIRECT CONTACT

Describe accessibility of the site (fencing, site security, evidence of unauthorized entry).

The site offers easy access as the wooden fence in the back of the property (adjacent to Watson Avenue) has fallen. The southwestern part of the property is not fenced. During the June 21, 1993 PSA, evidence of unauthorized entries were observed by the dumping of trash at the back portion of the property.

Number of on-site employees: 0

PART IX: FIRE AND EXPLOSION

Discuss all incidents on site which have involved a fire or explosion. Indicate the date of the incident and the materials involved.

There is no evidence in the available documentation of there ever being a fire or an explosion at the site.

Discuss site conditions which indicate a potential exists for fire or explosion (reactivity, incompatibility, ignitability, storage practices, container condition).

There are no evident site conditions which indicate a potential for fire or explosion.

PART X: ADDITIONAL CONSIDERATIONS

Discuss evidence of wildlife or vegetation that has been or could be potentially impacted by on-site operations. Include areas exhibiting stressed vegetation or damage to wildlife.

There is no evidence of wildlife or vegetation that has been or could be potentially impacted by on-site operations as indicated by a Pre-Sampling Assessment conducted by the NJDEPE, DRPSR, BFO, Site Assessment on June 21, 1993.

Determine if a contaminant on site displays bioaccumulative properties. Name all bioaccumulative substances that may impact the food chain.

There is no evidence in the documentation or during the Pre-Sampling Assessment conducted on June 21, 1993 that Haller Testing Laboratories, Inc. has bioaccumulative substances on site.

Discuss observed or potential damage to off-site property. Consider migration routes from the site to an off-site property via soil, air or runoff.

There is no evidence of Haller Testing Laboratories, Inc. being responsible for damage to off-site property and the potential for such is low.

PART XI: PREVIOUS OR ONGOING REMEDIAL ACTIONS

Discuss for each media all previous and ongoing remedial activities at the site. Include why initiated, type of action, date and present status.

There is no evidence in the available documentation of there ever being a remedial action conducted at the site.

PART XII: ENFORCEMENT ACTIONS

1. Type of enforcement activity: Directive Issuing agent: NJDEP, Division of Water Resources (DWR) Date: September 16, 1985 Description of violation: Violation of New Jersey Water Pollution Control Act by discharging waste water without a permit. Mr. Haller was directed to cease all unpermitted discharges and to provide access for the sampling of the drainage pits.

Follow-up activity: Mr. Haller did not respond to the Directive. On November 27, 1985 another Directive was issued to Haller for failure to reply to the September 16, 1985 Directive. A response to the November 27, 1985 Directive was never received by the NJDEP.

Type of enforcement activity: Directive Issuing agent: NJDEP, DWR Date: March 13, 1986

Description of violation: Haller was directed to immediately cease the unpermitted discharges to the drainage pits and to remove and properly dispose of the sludge contained in the pit on the southeast side of the building.

Follow-up activity: Mr. Haller did not respond to the Directive.

3. Type of enforcement activity: Order Issuing agent: NJDEP, Division of Environmental Quality (DEQ) Date: March 19, 1986

Description of violation: Failure to conduct leak tests on the moisture density gauges at intervals not longer than 6 months pursuant to the provisions of the Radiation Protection Act.

Follow-up activity: There was no follow-up activity evident in the documentation.

4. Type of enforcement activity: Directive

Issuing agent: NJDEP, DWR

Date: May 30, 1986

Description of violation: Mr. Haller was identified as a probable contributor to the ground water contamination in the Plainfield area. Mr. Haller was directed to submit a work plan for a soil boring investigation.

Follow-up activity: There was no follow-up activity evident in the documentation.

5. Type of enforcement activity: Directive

Issuing agent: NJDEP, DWR

Date: June 6, 1986

Description of violation: A Directive was issued to Mr. Haller by NJDEP to initiate a soil boring program and submit a work plan by July 8, 1986.

Follow-up activity: Neither the workplan nor a response have ever been received by the NJDEP.

6. Type of enforcement activity: Administrative Order and Notice of Civil Administrative Penalty Assessment

Issuing agent: NJDEP, DWR

Date: May 21, 1987

Description of violation: The enforcement activity required that Mr. Haller immediately cease all unpermitted discharges from the facility; remove and dispose all contaminated materials from the drainage pit; submit a draft hydrogeologic remedial investigation work plan; and submit payment of a civil administrative penalty of \$5,000.

Follow-up activity: Mr. Haller did not respond to the enforcement document. The case was referred to the Office of the Attorney General for legal action.

7. Type of enforcement activity: Administrative Order

Issuing agent: NJDEP, DEQ

Date: September 17, 1987

Description of violation: Possession of radioactive materials without a valid New Jersey license and failure to comply to survey the instrument calibrations within the 6-month intervals pursuant to the provisions of the Radiation Protection Act.

Follow-up activity: Haller did not acquire a New Jersey license.

8. Type of enforcement activity: Notice of Prosecution
Issuing agent: NJDEP, DEQ
Date: July 5, 1988
Description of violation: Failure to acquire a valid New
Jersey license for the radioactive material in possession
pursuant to the provisions of the Radiation Protection Act.

Follow-up activity: Haller did not acquire a New Jersey license.

9. Type of enforcement activity: Notice of Prosecution
Issuing agent: NJDEP, DEQ
Date: February 19, 1989
Description of violation: Failure to acquire a valid New
Jersey license for the radioactive material in possession
pursuant to the provisions of the Radiation Protection Act.

Follow-up activity: Haller applied for the license and paid the penalty fee of \$1,500.

10. Type of enforcement activity: Notice of Prosecution Issuing agent: NJDEP, DEQ
Date: December 12, 1990
Description of violation: Violations pursuant to the provisions of the Radiation Protection Act are as follows: unauthorized usage of ionizing radiation equipment, failure to conduct leak tests of sealed sources at intervals not longer than 6 months and failure to perform tests of radiation detection and monitoring instruments (calibration surveys) at the 6-month interval.

Follow-up activity: There was no follow-up activity evident in the documentation.

11. Type of enforcement activity: Administrative Order Issuing agent: NJDEPE, Division of Facility Wide Enforcement Date: January 8, 1993

Description of violation: Failure to maintain an accurate accounting for all radioactive materials pursuant to the provisions of the Radiation Protection Act.

Follow-up activity: There was no follow-up activity evident in the documentation.

PART XIII: CONCLUSIONS AND RECOMMENDATIONS

Soil sampling is recommended to ascertain if there has ever been a release of a hazardous substance from any of the potential areas of concern identified in the June 21, 1993 PSA. If the sampling indicates soil contamination, then monitoring wells should be installed to determine if an impact to ground water has occurred.

Submitted by: Matt Coefer

Title: HSMS IV

NJDEPE, Bureau of Field Operations, Site Assessment

Date: June 1993

PART XIV: POTENTIALLY RESPONSIBLE PARTIES

NAME

OWNER/OPERATOR/ KNOWN DISCHARGER

CURRENT ADDRESS

Roger W. Haller


owner

25 Bissell Road Lebanon, NJ 08833


Haller Testing Laboratories, Inc. operator known discharger

336 Leland Avenue Plainfield, NJ 07061 (Not Operating) MAPS

-





WATSON AVENUE





LELAND AVENUE

HALLER TESTING LABORATORIES, INC. 336 LELAND AVENUE PLAINFIELD CITY, UNION COUNTY SITE MAP MND 2









SUBJECT TO REVISION 742800 742000 v 5011 404200 × 10623W 2008P v 2008P 3888B * 10296W x 10022W × 22560 WATER WITHDRAWAL POINTS WITHIN × 5028 v 10113₩ 5.0 MILES OF: 2298P LATITUDE 403753 × 5031 LONGITUDE 742412 ×50371 ×500031 × 5031 × 10348W x 2138P x 5081 x 5031 × 2347P × 2125P × 50051 x 5049 × 2077P SCALE: 1:63,360 x 5049 (34 inda = 1 MILE) × 2000P ¥00599W x 10698W × 5049 × 5027 x 2000P x 10171W × 100,000 GPD WATER WITHDRAWAL POINTS ONLY × 5045 1 MILE AND 5 MILE RADII INDICATED × 5049 × 5045 v 5045 × X DODGOW x 5045 x 5045 x 2245P × 5045 × 5045 × 5294 *×X新聞 × 5045 x 5045 × 2258258P x 2319P × 52945294 × 5293 × 5293 PLOT PRODUCED BY: x 2019P x \$045 WATER TECHNICAL PROGRAMS BUREAU OF WATER ALLOCATION CN-426 TRENTON, NJ 08625 × 52933 × 5294 × 5925494 x 2223P × 2194P DATE: 12/29/92 × 2019P × 2019P 403400 x 10660W SUBJECT TO REVISION

1 of PRELIMINARY SURVEY OF WATER WITHDRAWAL POINTS WITHIN 5.0 MILES OF 403753 LAT. 742412 LON. (IN ORDER BY PERMIT NUMBER) - 12/29/92

Page

NUMBER	NAME	SOURCEID	FOCID	LAT	LON	LLACC	DISTANCE	COUNTY	MLIN	DEPTH	GEO1	GE02	CAPACITY	
10022W	ATLANTIC METAL PRODUCTS INC	2605106	#1	404108	741830	т	6.2	39	17	308	GIRĐ		100	
10059W	1225 SOUTH CORPORATION	2513694	2	403750	742402	•	0.2	39	12	400	GTRE		201	
10113W	EERLEX LABORATORIES, INC.	2514092	#1	404026	742743	Τ	4.2	27	24	500				
10154W	STERLING FLASTICS CO.	2513805	#2	404100	742025	T	4.9	39	10	590	GTF-EB		215	
10171W	STONY BROOK LAUNDRY. INC.	2519211	#1	403720	742611	T	1.8	35	14	70			<i>7</i> 5	
10296W	PUBLIC SERVICE ELECT. & GAS CO	2500510	1	404121	741850		6.2	39	17	320	GTEB		75	
	PUBLIC SERVICE BLECT. & GAS CO	2600596	2	404118	741849		6.1	39	17	404	GTRB		125	
10348W	SOUTCH FLAINS RECHEATION COMM	2512138	WELL 1	403925	742234	T	2.3	39	16	450	GTRB		150	
106ZIW	ELECTRICAL INDUSTRIES CORP.	2509445		404145	742438		4.5	39	11	260	GTFB		150	
10559W	MLHLENEEFG HOSPITAL	4500042	1	403619	742421	F	1.8	39	12	298	GTRB		1 <i>6</i> 0	
	MUHLENBERG HOSPITAL	2510488	3	403620	742415	F	1.8	39	12	502	GTFLE		320	
105500	JEHAEY CONCRETE CO.	2523891	1	405546	742426		4.7	23	22	1135	GTFG		97	
	JERSEY CUMORETE CO.	2526404	2	403346	742425		4.7	23	22	340	GTRE		82	
10698W	SHACKAMAXON GULF & CIVIRY CLUB		01	403738	742109	M	2.7	39	1.6		SYMH	SY	1000	
2000P	SOMERSET COUNTY PARK COMM.	2512669	1	403750	742910	U	3.5	35	20	115	GTRB		236	
	SCHERSET COUNTY PARK COMM.	POND		403720	742830	U	3.8	35	20		SR		66 0	
2008P	BALTUSROL GOLF CLUB	4500303	1	404150	742000	M	5.8	39	17	203	GTRE		200	
	EALTUSEOL BOLF CLUB	4500304	<u> </u>	404148	742000	M	5.8	39	17	288	GTEB		300	
	EALTUSFOL GOLF CLUB	4500305	4	404147	742058	M	5.3	39	17	515	GTRB		90	
country country	EALTUSKOL GOLF CLUB	2509639	5	404148	742136	M	5.0	39	17	626	GTRB		120	
2019P	L.A. DREYFUS COMPANY	4500040	1	403420	742320		4.1	23	05	750 760	GTRB	•	500	
	L.A. DREYFUS COMPANY	2521275	2	403415	742312		4.3	23	05	705	GTEB		350	
2077P	L.A. DREYFUS COMPANY	2521034	OBSERVATIO	403525	742320		2.9	23	05	900	GTFÆ		520	
2077F 2125F	LORD & TAYLOR LERMER PACKAGING CORPORATION	2510521	1	403944		F	2.8	39	20	500	GTFB		240	
2138P	CLSTOM MOLDERS CORP.	2602649 2512906	WELL #1	403905	741936 742342	F	4.3	39 39	26	300 514	GTFB		200	
2194P	DESIGN AND MOLDING SERVICES	4500252	1	403921 403448	742542		1.7 4.0	39 23	16 17	514 390	GTFÆ GTFÆ		4.45 120	
1 7 M	DESIGN AND MOLDING SERVICES	4500232 2522656	1) 2	403448	742618	S	4.0	23 23	17	390 294	GTRB		120	
2223P	KENTILE FLOORS, INC.	2500845	1	403452	742432	9	3.5	23 23	22	240	GTRB		250	
denter to 1	KENTILE FLOORS. INC.	2500846	2	403452	742432	S	3.5	23	22	174	GTHB		220	
22457	MACYS NEW JERSEY, INC.	2501922	1	403612	742520	F	2.2	39	12	501	GTRE		400	
	MACYS NEW JERSEY. INC.	Z502572	2(DIFFLS.)	403512	742520	F	2.2	39 39	12	34	GTRB		0	
	MACYS NEW JERSEY, INC.	2502903	3(DIFFUS.)	403612	742020	; i=	2.2	39	12	39	STRE		0	
2256	REMEIS CHEMICAL CO., INC.	2504899	2	404058	742556	F	3.9	39	01	255	GTRES		200	
	REFEIS CHEMICAL CO., INC.	2513038	4	404057	742555	F	3.8	39	01	303	GTRES		280	
	RE-EIS CHEMICAL CO., INC.	2520573	Ė	404100	742606	F	3.9	39	01	305	GIRES		500	
2258P	PLAINFIELD COUNTRY CLUB	2506839	1	403537	742332	F	2.7	23	05	600	GTRB		300	
	FLAINFIELD COUNTRY CLUB	4500307	2	403540	742318	5	2.7	23	05	204	GTHE		75	
2298P	ECHO LAKE COUNTRY CLUB	2604189	2	404029	741959	_	4.7	39	20	80	GTRB		400	
2319P	NATIONAL STARCH & CHEMICAL	4500312	1	403548	742718	S	3.6	39	12	300	GTR®		350	
	NATIONAL STARCH & CHEMICAL	4500313	2	403546	742723	S	3.7	39	12	304	GTR#		350	
	NATIONAL STARCH & CHEMICAL	2511751	6	403550	742716	9	3.6	39	12	436	GTKB		700	
	NATIONAL STARCH & CHEMICAL	2514905	7	403535	742740	ទ	4.0	39	12	600	GTRB		450	
2347P	GARWOUD PAPERBOARD MILL	4500192	1	403912	741920		4.5	39	05	136	GTHB		150	
	GARWOOD PAPERBOARD MILL	4600193	2	403912	741920		4.5	39	06	194	GTFB			
	GARWOOD PAPERECARD MILL	4600194	3	403912	741920		4.5	39	06	235	GTEB		300	
	GARWOOD PAPERBOARD MILL	4600195	4	403912	741920		4.5	39	06	235	GTFE		300	
5011	NEW JERGEY-AMERICAN WATER CO.	4500255	WELL #12	404205	742130		5.4	39	18	300	GTFB		350	
	NEW JERSEY-AMERICAN WATER CO.	4500266	WELL #14	404205	742130		5.4	39	18	300	GTFB		350	•
	NEW JERSEY-AMERICAN WATER CO.	4500247	WELL #15	404205	742130		5.4	39	18	300	GTRB		250	
	NEW JERSEY-AMERICAN WATER CO.	4500268	WELL #17	404205	742130		5.4	39	18	369	GTRE		250	
Elita Carried	NEW JERSEY-AMERICAN WATER CO.	4500269	WELL # 18	40420日	742130		5.4	39	18	462	GTRB		250	
5027	ELIZABETHTOWN WATER COMPANY	2604751	ELKS CLUB	403728	741929	F	4.2	39	02	59	GUSD		288	
5028	ELIZAEE (HTOWN WATER COMPANY	2500872	CHARLES 1	404114	742039	F	4.9	39	10	454	GTFÆ		400 IN SER	UILE
	ELIZABETHTOWN WATER COMPANY	4500004	CHARLES 2	404110	742043	F	4.8	39	10	572	GTFB		220 IN SER	LUICE

(

(

(

(

(

NUMBER	WAVE.	SOURCEID	LOCID	LAT	LON		DISTANCE						
	ELIZABETHTOWN WATER DOMPANY	2509083	END FITTING						1.4.4.4	DEF IFI	GEO1	GEO2 CA	PACITY
	ELIZABETHTOWN WATER COMPANY	2509206	CENTRAL	404046	742104			39	10	300	GTRE	47	5
5031	ELIZABETHTOWN WATER COMPANY	2507173	BRISTOL RD				5.0	39	10	315	GTRB	33	0
	ELIZABETHTOWN WATER COMPANY	2500130	GLENSIDE	404006	742314		2.7	39	16	540	GTRB	13	5
	ELIZABETHTOWN WATER COMPANY	2500649	JERUSALEMI	403940			2.4	39	16	650	GTRB	30	0
	ELIZABETHTOWN WATER COMPANY	2500800	JERUSALEY2	403938	742250		2.3	39	15	665	GTFB	35	0
	ELIZABETHTOWN WATER COMPANY	2509281	JERUSALEMS	403938	742238		2.4	39	16	708	GTFB	21	2
	ELIZABETHIOWN WATER COMPANY	2504639	MORSE AVE.	403917	742215	F	2.3	39	16	400	GTRB	30	0
	ELIZABETHTOWN WATER COMPANY	2505083	WITTKE 1	403954	742138	F	3.2	39	20	504	GTRB	42	5
	ELIZABETHTOWN WATER COMPANY	2508087	WITTHE 2	403957		F	3.3	39	20	511	GTRB	52	Ó
	ELIZABETHTOWN WATER CUMPANY	2500873	ELM STREET	403913	742100		3.2	39	20	525	GTRE	35	0
	ELIZABETHTOWN WATER COMPANY	4500005	WESTFIELD1	403856	742052	F	3.2	39	20	523	GTRB	40	0
	ELIZABETHTUMN WATER COMPANY	2512960	WESTFIELD2	403856	742054	F	3.1	39	20	502	GTRB	35	0
5045	ELIZABETHIOWN WATER COMPANY	2513106	RCKVW TERR	403934	742156	F		39	20	500	GTKB	30	9
	ELIZABETHTOWN WATER COMPANY	2513898	RCK/W AVE	403709	742621			39	12	4()()	GTRE	30	0
	BLIZABETHTOWN WATER COMPANY	4500022	BD. OF ED.	403453	742622		2.2	39	12	220	GTRE	30	O .
	ELIZABETHTOWN WATER COMPANY	2513248	ROK AVE-FS	403643	742651		2.7	39	12	300	GTRB	50)
	ELIZABETHTUWN WATER COMPANY	2512665	ROK AV GR	403600	742725		3.6	23	17	350	GTEB	25/)
	ELIZABETHTOWN WATER COMPANY	4500023	OR BRK #1	403611	742739			35	09	350	GTRB	356)
	ELIZABETHTOWN WATER COMPANY	4500024	GR BFK #2	403555	742755 742755			35	09	451	GTFÆ	520)
	ELIZABETHTOWN WATER COMPANY	4500025	GR EFIX #3	403555	742755			35	09	376	GTFB	520)
	ELIZABETHIOWN WATER COMPANY	4500026	GR BRK \$4	403555	742755			35	09	550	GTRB	150	
	ELIZABETHTOWN WATER COMPANY	2500572	GR BRK #5	403555	742755			35	09	400	GTRE	40x	
	ELIZABETHTOWN WATER COMPANY	2500632	GR BRK #6	403555	742755			35 35	09	454	GTFB	600	7 (55)
	ELIZABETHTOWN WATER COMPANY	2500633	GR 86K #7	403555	742755			35	09	473	GTRB	600	
	ELIZABETHTOWN WATER COMPANY	2502715	GR BRK #8	403555	742755			35	09	545	GIKB	300	
	ELIZABETHTOWN WATER COMPANY	2502715	GR BRR #9	403555	742755			35	09	445 507	GTER	400	
	ELIZABETHIOWN WATER COMPANY	4500027	FLMFLD CTY	403615	742655			39	12	207	GTRB GTRB	300	
	ELIZABETHTOWN WATER COMPANY	2512961	5TH ST	403550	742534			39	12	350	GTFB	400	
	ELIZABETHTOWN WATER COMPANY	2512632	8TH ST	403539	742612			23	22	350	GTRB	250	
	ELIZABETHTOWN WATER COMPANY	2513354	CLINTON AV	403523	742606			23	22	350	GTRB	450 450	
5049	ELIZABETHTOWN WATER COMPANY ELIZABETHTOWN WATER COMPANY	2502717	GR H-K #11	403555	742755			35	09	433	GTRB	400	
	ELIZABETHTOWN WATER COMPANY	2508131	TWO GUYS 1	403848	742458		1.2	35	21		GTRB	400.	
	ELIZABETHTOWN WATER COMPANY	2508132	TWO GUYS 2	403848	742458		1.2	35	21	325	GTRB	400	
	ELIZABETHIOWN WATER COMPANY	4500009	NW #1	403753	742355		0.2	39		350	GIRB	225	
	ELIZABETHTOWN WATER COMPANY	4500010	NW #2	403753	742355		0,2	39		500	GTRB		IN SERVICE
	ELIZABETHTOWN WATER COMPANY	4500011 4500012	VM #3		742355		0.2	39	12	350	GTRB	450	
	ELIZABETHTOWN WATER COMPANY	4500013	NW #4		742355		0.2	39	12	400	GTRB		INSERVICE
	ELIZABETHTOWN WATER COMPANY	4500014	NN #5	403753	742355		0.2	39	12	350	GTRB	350	
	ELIZABETHTOWN WATER COMPANY	4500015	NW #6 NW #7		742355				12	300	GTRB		IN SERVICE
	ELIZABETHTOWN WATER COMPANY	4500016	NW #8		742355					350	GTFB	350	
	ELIZABETHICHN WATER COMPANY	4500017	NW #9	2 C Supplement	742355						GTRE	350	IN SERVICE
	ELIZABETHIOWN WATER COMPANY	4500018	NW #10		742355 742355						GTRE	350	_
	ELIZABETHTOWN WATER COMPANY	4500019	NW #11		742355						GTRB	350	3 IN SERVICE
	ELIZABETHTOWN WATER COMPANY	4500020	NW #12		742355						GTRB	250	
	ELIZABETHTOWN WATER COMPANY	2508185		403708							GTRB	250	
	ELIZABETHIOWN WATER COMPANY	2509037	FROSFECT A	403656	742337				and the same		GTRB	300	
	ELIZABETHTOWN WATER COMPANY	2512637	AEGROEEN R	403728	742319		1.2 3				GTRB	300	
500 ×	BLIZABETHTUWN WATER COMPANY	4500021	GEORGE ST.	403814	742353		0.9 3				GIRB	390	
5293	MIDDLESEX WATER COMPANY	2500408	1	403528	742231						GTRE	225	
	MIDDLESEX WATER COMPANY	2503970	2	403528	742231	Ц					GTRB	567	
	MIDDLESEX WATER COMPANY	2502008	3	403528	742231	J					GTRB	200	
4	MIDDLESEX WATER COMPANY	2502009	4	403528	742231						GIRB	450	
	MIDDLESEX WATER COMPANY	2504516	5	403528	742231						GTRB STOD	750	
	WILL CUTTIVE	2504517	6	403528	742231		3.1 2				GTRB GTRB	300 400	
										- 15-	- 11.7F	4(1)	

Page 3 of PRELIMINARY SURVEY OF WATER WITHDRAWAL POINTS WITHIN 5.0 MILES OF 403753 LAT. 742412 LON. (IN ORDER BY PERMIT NUMBER) - 12/29/92

NUMEER	NAME:	SOURCEID	LOCID	LAT	LON	LLACC	DISTANCE	COUNTY	MIN	DEPTH	GE:01	6E02	CAFACITY
	MIDDLESEX WATER COMPANY	2505432	7	403525	742425		2.8	23	05	60B	GTRB		300
	MIDDLESEX WATER COMPANY	2505637	8	403520	742215		3.4	23	05	629	GTEB		500
	MIDDLESEX MATER COMPANY	2505965	9	403519	742221		3.4	23	05	700	GTEB		300
5294	MIDDLESEX WATER COMPANY	2509603	SPRAGUE #1	403552	742356		2.3	23	22	101	GOSD		790
	MIDDLESEX WATER COMPANY	2511464	SERAGLE #2	403557	742335		2.3	23	22	151	GOSD		790 790
	MIDDLESEX WATER COMPANY	2511823	SFFING LK 5	403458	742452		3.4	23	22	500	GTER		600
	MIDDLESEX WATER COMPANY	2511828	SPRNG LK 6	403459	742441		3.4	23	22	504	GTEB		500
	MIDDLESEX WATER COMPANY	2512364	SEPFING LK 8	403504	742500		3.3	23	22	501	GTRB		450
	MIDDLESEX WATER COMPANY	2512365	SPFING LK 9	403457	742449		3.4	23	22	500	GTEB		350
	MILDDLESEX WATER COMPANY	4500274	PARK AV 18	403540	742430	U	2.6	23	22	74	GOSD		1400
	MIDDLESEX WATER COMPANY	4500275	PARK AV 19	403540	742430	U	2.6	23	22	76	GOSD		1100
	MIDDLESEX WATER COMPANY	4500276	PARK AV 20	403540	742430	U	2.6	23	22	82	GUSD		1450
	MIDDLESEX WATER COMPANY	4500277	PARK AV 21	403540	742430	U	2.6	23	22	73	GEGD		1000
	MIDDLESEX WATER COMPANY	4500278	PARK AV 22	403540	742430	U	2.6	23	22	514	GTRE		320
	MIDDLESEX WATER COMPANY	2509753	PARK AV 23	403551	742437		2.4	23	22	1. L. T	GOSD		700
	MIDDLESEX WATER COMPANY	4500279	PARK AV 24	403540	742430	U	2.6	23	22	110	GC/SD		450
	MIDDLESEX WATER DOMPANY	2511815	PARK AV 25	403531	742422		2.7	23	22		GTEB		950
	MIDDLESEX WATER COMPANY	2511816	PARK AV 26	403530	742440		2.8	23	22	495	GTEB		400
	MIDDLESEX WATER COMPANY	2511822	PARK AV 27	403540	742431		2.6	23	22	501	GTEB		400
	MIDDLESEX WATER COMPANY	2512119	PARK AV 28	403541	742431		2.5	23	22	500	GTRB		250
	MIDDLESEX WATER COMPANY	2512120	PARK AV 29	403544	742438		2.5	23	22	500	GTEB		730
	MIDDLESEX WATER COMPANY	2512130	PARK AV 30	403548	742431		2.4	23	22	500	GTRB		350
	MIDDLESEX WATER COMPANY	2512461	PARK AV 31	403540	742430	U	2.6	23		500	GTER		425
	MIDDLESEX WATER CUMPANY	2512131	PARK AV 32	403545	742430		2.5	23	22	501	GTRB		250

Number of Observations: 135

(

(

11.

(

C

(

ATTACHMENT A



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY JOHN FITCH PLAZA, P.O. BOX 1390, TRENTON, N.J. 08625

July 16, 1974

Haller and Shimel Consulting Engineers, Inc. 336 Leland Avenue P. O. Box 46 Plainfield, New Jersey 07061

Attention: Mr. Charles Shimel, P.E.

President

Dear Mr. Shimel:

The Bureau of Radiation Protection acknowledges receipt of your communication dated July 11, 1974 explaining the incident involving the Troxler density gauge containing the sealed source of Radium 226 - Beryllium and the disposition of the sealed source.

As verbally stated by Mr. Hugh Clokie of this office, it appears that the situation has been satisfactorily resolved and no further action is necessary.

Thank you for your prompt response.

Very truly yours

Joseph R. Morris

Acting Licensing Administrator Bureau of Radiation Protection

JRM: hw

PERENT A

ATTACHMENT B



RECEIVED

OCT 24 1983

THE HALLER TESTING LABORATORIES, INC.

State of Arm Fersen

DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF ENVIRONMENTAL QUALITY
BUREAU OF RADIATION PROTECTION
380 SCOTCH ROAD TRENTON, N. J. 08628
609-292-5586

October 20, 1983

Mr. Elliot A. Haller, President Haller Testing Laboratories, Inc. P. O. Box 46 336 Leland Avenue Plainfield, New Jersey 07061

Dear Mr. Haller:

As per the "Certificate - Disposition of Radioacitve Materials" received by this Bureau January 8, 1981 from Haller Testing Laboratory, Inc., New Jersey State Radioactive Materials License #10130 is hereby terminated.

Sincerely,

Joseph M. Santarsiero

Radiation Physicist
Radioactive Materials Section

cab



Testing • Inspection • Consultation

The Haller Testing Laboratories, Inc.

326 LECAND AVENUE PLAINF BUD NEW JERGE - 1751

ROGER W. HALLER VICE PRESIDENT 201 - 756 - 3637

ATTACHMENT _____

BRP-19 Jan. 71

NEW JERSEY STATE DEPARTMF OF ENVIRONMENTAL PROTECTION

P.O. Box 1390, Trenton, New Jersey 08625

CERTIFICATE - DISPOSITION OF RADIDACTIVE MATERIAL

			• •
LICENSEE (Institution, Firm, Hospital, Person, e	ew.)	·	NEW JERSEY STATE LICENSE NUMBER NJSL - 10130
THE HALLER TESTING LABORATORIES, P.O.BOX 46 336 LELAND WENUE PLAINFIELD, NEW JERSEY 07061	INC.	٦	Expiration Date: NOVEMBER 30,1983
Address (if same as above write same)			Department(s)
S A M E		_	SOILS ENGINEERING DEPARTMENT
	-	-	
Individual Radioisotope User(s) <u>ELLIOT A. I</u> SYED R. AHN	HALLER, PRESION	ENT, or	
	CERTIFICATION		
The licensee and any individual executing this abelow):	ertification on be	half of the	licensee certify that (check appropriate items(s
ALL RADIOACTIVE MATERIAL(S) PROCURED LICENSE NO. NJSL	AND /OR POSSE	SSED BY I EEN:	LICENSEE UNDER RADIOACTIVE MATERIAL
(1) Transferred to (state name) which has New Jersey State Radioactive M	laterial License N	o. NJSL _	•
(2) Disposed of by decay.	(3) Dis		compliance with the New Jersey Radiation
REMARKS: (If additional space is needed use r TWO (2) NUCLEAR GAUGES WERE DISPOS	ED OF, INFORM	ATION AS	TO DISPOSITION IS ATTACHED.
			
		· · · · · · · · · · · · · · · · · · ·	-
Signature of Certifying Official:			ก /

ATTACHMENT

THE TELEDYNE ISOTOPES

50 VAN BUREN AVENUE WESTWOOD, NEW JERSEY 07675 TELEPHONE 201 654 7070

MATERIAL

MADIOACTIVE WASTE DISPUSAL RECORD NO.

F.O. NUMBER	₹			11	, 77,			·	0 1		ï	PAGE	OF_	P	AGES.			15611 11 FARM NO.S
COMPANY/IN	STITU	TION:_	Z	16	W.	2.5	0050	1600 1	P. Ba.		MATERIA	AL DESCRI	PTION: RA	ADIOACTI	VE MATE	RIAL S	050 TA	1. FARM NO.S
FULL ADDRE	SS:	-		33	<u> </u>	Kë-	lan-	9 6	w.		(See CFF	R 49: 172.10	1)			·		7
		-		ni.	74.	123		Tref				HAZARD (CLASS: R	ADIOACT	VE MATE	RIAL	····-··	
(1)		. ,	CONTAIL	ER TYP	<i> </i> /		(3)	(6)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)
CONTAINER	5 GAL.	30 GAL.	GAL A/C	55 S/P	55 GAL.	ОТНЕЯ	CUBIC FT.	EN SCHIPTION			Al.(milibo @ 1 Meter	ISOTOPES	1RANS- FORT GROUPS	PHYSICAL STATE	ACTIVITY (mCi)	SOURCE MAT. (Pounds)	SNM (Grams)	LABEL USED
5674		X	5	54	43	4	4.0	DSM	11000	20	,2	05137	111	Spec.			AA	TL
· 	<u> </u>											•				/	//	
	 							ļ ·		ļ								
	-			 														
								ļ — — ·						ļ				
	-		,											<u> </u>				
															!			
~													<u> </u>					
														ļ				

																		· ·
						ļ												
3																		
T C																		
L (14)		7		\dashv			40	'IF A	IIMAL CARCASSE	S, MARK AC	IF SCINTILL	ATION		16)				
TI (15)						<u>-</u> 1.		VIALS	·MARK SV; IF 55 S	S/P, MARK DI	₩.	i			3.015			
THIS IS TO TRANSPOR LATIONS O	CERTI TATIO	FY TH	AT TH	E ABO	VE N.	AMED APPLIC	MATERIAL ABLE REG	S ARE PE	ROPERLY CLA IS OF THE DE	SSIFIED, PARTMEN	DESCRIBE	ED, PACKAO ANSPORTA	GED, MAF TION, AN	RKED, AN D ARE PA	D LABELI CKAGED	ED, AND .	ARE IN PI	ROPER CONDITION FOR HE APPLICABLE REGIJ-
OFAGREEME	אד פדו	TE LIC	ENSE N	10. <u></u>			•		18020		4117	HODIZED GU		51	1: 7		1	HE ALL CICABLE NEGU-

ATTACHMENT C



State of New Jersey

JOHN W. GASTON JR., P.E. DIRECTOR

DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES

DIRK C. HOFMAN, P.E. DEPUTY DIRECTOR

CN 029
TRENTON, NEW JERSEY 08625

September 16, 1985

CERTIFIED MAIL
RETURN RECEIPT REQUESTED

Mr Roger Haller, Owner Haller Testing Laboratorties Inc. 336 Leland Ave P.O. Box 46 Plainfield,NJ 07061

Re: Groundwater Investigation Plainfield / Union County

Dear Mr Haller,

As part of an investigation of possible sources of groundwater contamination in the industrial area of Plainfield, an inspection of the Haller Testing Laboratory facility (HTL), was conducted by a representative of the Division of Water Resources (DWR) on August 29,1985. During the inspection the following observations were made:

- 1. HTL is currently discharging wastewater from the sink in the asphalt testing room and the wetroom floor drains into a pit on the north side of the facility. The sinks in the chemistry lab and the slop sink in the testing machine room discharge into a pit on the south side of the facility.
- 2. HTL uses 1,1,1 Trichloroethane to dissolve asphalt samples as well as Hydrochloric Acid to wash concrete samples.
- 3. HTL does not posses nor has it ever applied for a New Jersey Pollutant Discharge Elimination System (NJPDES) Permit to discharge wastewater from its property in violation of N.J.S.A. 58:10A-6a.

DWR has determined that a potential exists for

TATTACHMENT ____

groundwater contamination from the drainage pits located on the north side and south side of the facility. Unpermitted discharges to the groundwater are in violation of N.J.S.A.58:10A-1 et. seq., the New Jersey Water Pollution Control Act, and N.J.S.A. 58:10-23.11c et. seq., the Spill Compensation and Control Act.— The elimination of the discharges is of particular importance because the groundwater in this area is used as potable supply. Specifically several potable water supply wells are located within 1000 feet of your facility.

HTL is therefore DIRECTED to:

- 1. Immediately cease all unpermitted discharges.
- 2. Provide access for sampling to the drainage pits which are used for the disposal of the wastewater from your facility. Additional groundwater investigation may be required depending on the outcome of this sampling.
- 3. Submit a written report to this office within thirty (30) days of the receipt of this letter detailing the corrective actions taken.

Failure to comply with this DIRECTIVE may result in further enforcement action by this office, including the imposition of penalties, pursuant to N.J.S.A. 58:10A-10. Compliance, however, shall not be construed to relieve HTL from appropriate penalties for the cited statutory violations.

If you have any questions concerning this DIRECTIVE, please contact Mr Anthony DeCandia of this office at (201)648-2200.

Very truly yours,

Stefan D.Sedlak

Asst. Chief

Metro Bureau of Regional

Enforcement

E126:G25

cc:Ruby Hodge H.O.
John Trela, GWP
George Caporale, BPA.

bcc: Marianne Montgomery Steven Madonna ATTACHMENT D



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES METRO BUREAU OF REGIONAL ENFORCEMENT 2 BABCOCK PLACE WEST ORANGE, NEW JERSEY 07052

JOHN W. GASTON JR., P.E. DIRECTOR

RSEY 07052 DIRK C. HOFMAN, P.E DEPUTY DIRECTOR

March 13, 1986

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr Roger Haller, Owner Haller Testing Laboratories Inc. 336 Leland Ave P.O. Box 46. Plainfield,NJ 07061

Re: Groundwater Investigation Plainfield / Union County

Dear Mr Haller,

On February 6, 1986 a reinspection and soil sampling was conducted at the Haller Testing Lab (Haller) facility in Plainfield by representatives of the Division of Water Resources (DWR). During the inspection the following observations were made:

- 1. The sink in the chemistry lab discharges to a small pit on the south-east side of the facility. This pit contained a red and gray sludge.
- 2. The sink in the asphalt testing room discharges to the ground on the north-west side of the building.
- 3. Soil samples taken from the two discharge points gave the following results:

Pit on south-east

Ethyl Benzene

100 ppb

P Cymene Toluene 1050ppb 1000ppb

5 Unidentified Peaks

Discharge on north-west side - None Detected

On September 16, 1985 Haller was Directed by the DWR to cease unpermitted discharges and submit a written report within thirty (30) days of the receipt of the Directive. On November 27, 1985 DWR again Directed Haller to cease the unpermitted discharges and submit a written report within Twenty (20) days.

On December 12, 1985 in a phone conversation with Mr. Anthony DeCandia of DWR, Mr Roger Haller stated that the discharge from the chemistry lab had been disconnected and that arrangements were being made to cease the discharge from the Asphalt testing room. Mr Haller was also informed by Mr. DeCandia to respond in writing to the Directives.

As of the time of the inspection , Haller has not ceased the abovementioned discharges and has not responded in writing to the outstanding Directives.

DWR has determined that a potential exists for groundwater contamination from hazardous substances. Unpermitted discharges to the ground water are in violation of N.J.S.A. 58:10A-6a, The New Jersey Water Pollution Control Act, and N.J.S.A. 58:10-23.11c et seq., The New Jersey Spill Compensation and Control Act.

Haller is therefore DIRECTED to:

- 1. Immediately cease all unpermitted discharges.
- 2. Remove and properly dispose of the sludge contained in the pit on the south-east side of the building within thirty (30) days of the receipt of this letter. The contaminated material are to be disposed of in accordance with N.J.A.C. 7:26-1 et
- 3. DWR must be notified at least seven (7) days prior to this excavation so that a representative may be present. When the contaminated soil has been removed sample analysis shall be made by a NJ certified laboratory for volatile organics and E.P. Toxicity to evaluate if contaminated soil remains.
- 4. Submit a written report within forty five (45) days of the receipt of this Directive containing the following information:
 - a. method used to eliminate all unpermitted discharges;
 - b. the name and registration number of the New Jersey registered hauler contracted to remove contaminated materials from the pit;
 - c. the volume of material removed;

- d. the analytical data used in the classification of the material; and
- e. the method used to permanently seal the discharge form the floor drains.

The required report should be addressed to:

Stefan D. Sedlak. Assistant Chief Metro Bureau of Regional Enforcement NJDEP - Division of Water Resources 2 Babcock Place West Orange, NJ 07052

Failure to comply with this DIRECTIVE will result in further enforcement action by this office, including the imposition of penalties, pursuant to N.J.S.A. 58:10A-10. Compliance, however, shall not be construed to relieve Haller from appropriate penalties for the cited statutory violations. Be advised that further requirements for the monitoring and decontamination of ground water affected by the activities of Haller Testing Labs may be imposed.

If you have any questions concerning this DIRECTIVE, please contact Mr. Anthony DeCandia of this office at (201)648-2200.

Very truly yours,

Stefan D.Sedlak Assistant Chief Metro Bureau of

Regional Enforcement

E126

cc: Ruby Hodge H.O.

Richard Cerbone NJGS

bcc: Marianne Montgomery

Steven Madonna

PLEASE TYPE OR PRINT	Department of Environmental Protesting Division of Water Resources	onon &	BACT. LAB NO	
WITH BALLPOINT PEN	WATER ANALYSIS STREAM		DATE REC'D.	2 4 00
	INION		BOTTLE NO.	2409
HALBR TESTING LAB	LALANU MIS.		DATE REC'D.	
REMARKS DIS, PIT, BAST OF BLDS		CAND/A	STORET ENT.	
	24D	221	READ	
SURFACE SOIL SAMPLE			OUR	
			<u> </u>	240
[S C ,		60206 10	45,	
FIELD ANALYSIS	ANALYSIS	UNITS PARAME	TER VALUE	RMK.
☐ Water Temp ^O C P10,	SOIL VIO, SCAN	oob P	, ,	
D.OWinkler P300,		P	, ,	111 ,
□ D.OProbe P299,	DETHYL benzene	P	,100	
□ p ^H (Field) P400, ,	Do-cymene	P	,1050	
☐ Sample Depth-ft. P3,	- Tolyene	P	,1000	
☐ Gage Height-ft. P65,	- Tolueve	P		
☐ Spec. Cond. @ 25°C P95,	- 5 unidentified		- 1	++++
☐ Salinity 0/00 P480,	<u> </u>	P	1 1 1 1	+++
☐ Tide Stage P70211, ,	<u> </u>	P		
		P	 	
BACTERIOLOGICAL - DILUTIONS (REQUESTED) Fecal Coliform 1.1.2.3.4.5.6				- - - -
Fecal Coliform 10 1 10 10 10 10 10 10 10		P	 	
Fecal -1 -2 -3 -4 -5 -6 Streptococci 10 1 10 10 10 10 10 10		P	, , , , , , , , , , , , , , , , , , , ,	++++
Fecal coll	<u>-</u>	P		
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Р		111
Fecal Strept P31677,		P		
/100 mł	,	P	1-1-1-1	
☐ Tot coli P31505, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐		P	+ ' + + +	+ + + + +
/100 mt	, <u> </u>	P	 	
BIOCHEMICAL OXYGEN DEMAND	┨ <u>├</u>		11,111	
INITIAL D.O. (lab.) SAMPLE		P	+ + , - - -	+++++
SEED YES NO		P	,	++++
CONC: %		P	11,111	
вор		P	, , ,	
		P	,	
☐ BOD ☐ 5-DAY P310, ☐ ☐ 6-DAY P312, ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐],	P		
DATE TIME	CHAIN OF CASTODY	REPOR	r submatte	כ
		FF	B 25 1986	
	— MAR 0 7 1985 — —			
~		NJDOF	Environmenta	31
Chemist Review	NEWARK MEEC Water Quality I	(1,01-10)	··· k) - Water Resources Co	/C T

MITACHMENT DY

PLEASE TYPE OR PRINT WITH BALLPOINT PEN			Division of Water Resou WATER ANALYS	IS				. LAB NO REC'D.	
MCNCIPALITY BLD	LOCATION	NION) STREA	<u> — — — — — — — — — — — — — — — — — — —</u>		_	вотт	LE NO.	32
HALER TETTING	LAB	LELA		IAME		_	DATE	REC'D.	
NICK SUGAR	LAB.		MAGBR A.	UECAND			STOR	ET ENT.	
SURFACE SOIL	SAMPLE;	PIRE		ARCONA	<u> </u>			REAL	<u> </u>
WOST 5188	OF BUDG.	AMARIA A M	24]	D 221 Yr. mo.	DAY	Щ,	IOUR		
	STATION IDE	TIFICAL	TTTTTTT			П	111	7 3	32
SIC	7, 1 1 1 1			8602	106	10	55	<u>.</u>	
FIELD ANALYSIS	5	571 0	ANALYSIS	UNITS	-	RAME	TER	-1-1	ALUE
Water Temp OC P10,	, ,	<u> </u>	OIL V.O.	3'UAN	P	++	 	NOW	
D.OWinkler P300,	,			_ :	P	╂-╂-	 ' 	DeTe	cte
□ D.OProbe P299,	,		<u></u>		P	1	 ' 		- -
p ^H (Field) P400,	,				P	1-	<u> </u>		- -
☐ Sample Depth-ft. P3, ☐ Gage Height-ft. P65,	++++-1,				P	-	,	$\bot \bot \bot$	
C Spec Cond	 				P		,		
© 25°C P95.	 			· · · · · · · · · · · · · · · · · · ·	Р		,		
☐ Tide Stage P70211,	 				P		,		
	 				P				
BACTERIOLOGICAL - DILUTION	IS (REQUESTED)				Р		,		
Fecal Collform 10 1 10 10	-3 -4 -5 -6 10 10 10 10				P		١,		
Fecal -1 - 2	-3 -4 -5 -6				P	11	,		
Streptococci 10 1 10 10					Р				
Fecal coli					Р				
,100 mi					P		1.1.		
Fecal Strept P31677, MPN/100 mi					P		11		++
/100 ml L	_ <u></u>				P	+	++'		
Tot coli P31505,				٠	- P	++	+ -		++-
/100 ml	:				- · -	++	++'		++
BIOCHEMICAL OXYGEN	DEMAND	┨╬			- P	++	++,	++-	++
INITIAL D.O. (lab.)	SAMPLE				- 	++	++'		++
SEED YES	NO 🗆	1 =			_ P	++	 ,	++-	++
CONC:%		1 =			- P		 ,	+++	┼-}-
. BOD					_ P		 ,		+
□ □5-DAY P310					_ P	+	 ,		
☐ BOD ☐ 5-DAY P310, ☐ 6-DAY P312,		. 🖳			_ P		<u> </u>		$\perp \perp$
DATE	TIME		CHAIN OF CUSTO	71	REPO	RT	SUE	MIT	- <u>-</u>
				· · · · ·	FEB 25 1986				
			MAR 0 7 1986		 זכנא		Enviro		<u>':: </u>
		DEP1.	EKVING	ECTION	- (1.31				

ATTACHMENT DS

ATTACHMENT E



ORDER



TO: Haller Testing Laboratories
336 Leland Avenue
P. O. Box 46
Plainfield, New Jersey 07061
Roger Haller, Owner

Contact/Phone: 201-756-4637 Violation Occurred On Premises Known As:

336 Leland Avenue, Plainfield, Union County, New Jersey, ID #10130

The State Department of Environmental Protection has determined by investigation(s) made pursuant to the provisions of N.J.S.A. 26:2D-1 at seq. that on February 27, 1986, you did violate the New Jersey Administrative Code, Radiation Protection, Title 7, Chapter 28, Subchapter(s) & Section(s) as follows:

9.4(a) - The investigation disclosed that the licensee failed to conduct leak tests of sealed sources at intervals not longer than six months.

YOU ARE HEREBY ORDERED to cease violation of said Subchapter(s) and Section(s) on the premises owned, leased, operated or maintained by you on or before April

IN ADDITION, you are required to provide written notification to the Bureau of Radiation Protection, 380 Scotch Road, Trenton, New Jersey 08628 on or before April 19, 1986, identifying the steps you have taken to cease the above violations of the New Jersey Administrative Code.

Should you have any questions, contact John Feeney, Licensing Administrator for Radioactive Materials, (609) 530-4025.

Refer to Log #R860331

Dated:

March 19, 1986

Allan T. Edwards

Acting Assistant Director

Enforcement Element

PROGRAM: RADIATION CERTIFIED MAIL

ATTACHMENT F

NEW	ا عر يال	DEPARTMENT OF ENVIRONMENTAL ACTECITOR
		DIVISION OF WATER RESOURCES-

INVESTIGATION MEMORANDUM

	•	1111 -1
Persons Conducting Investigation	Complaint No./HJPDES No.	Haller TESting
Anthony De Candia	Date of Investigation	4/28/86
<u></u>	Routing SDS	<u> </u>
Location of Incident	TESTING LARS	
	re, Hinfield.	
<i>-</i> .	de ocumpries.	
Purpose of Investigation	J	
;		
Persons Interviewed Foren Hall	, owner	
	•	
Summary	of Findings	
Born's uses afte		inco sit
- Borne With ance	ong the line	The period
on the North-Bist ord	e of the rucky	1000
unable to get beyon	The fast of	Shelf !
was told by Mr Hal	On That there	Urs X
sock (grove) and	reeth:	1
an Sample wax taken	at the betto	m of the
Stulie mother appir	of 1 Joot below	The Server
Mr. Heller Statel	The compour	for look
of the location a	and the late	Sixle Can
alichia di	to The said	
aning allanger	to min fa	a yes
as he arrive.		
•		
•		Haller Testing Laboratories, Inc.
· · · · · · · · · · · · · · · · · · ·	Taller	Roger W. Haller
	Haller	President
· .		336 Leland Avenue
•		9.0. Box 46 Plainfield. New Jersey 0 Plainfield. New Jersey 0 (201) 756-4637 (212) 233-2360
	- ATTACHMI	ENT (212) 2332220

PLEASE TYPE OR PRINT WITH BALLPOINT PEN			Vater Resource ANALYSIS				ł		LAB I		_
MUNICIPALITY	COUNTY		STREAM				ר ר		REC'E		
FACILITY TOOL	LAB LOCATION	101	've	<u> </u>			┦		.E NO. REC'E		۲
REPRESENTATIVE	TITLE	celans H	COLLNA	ME Con	12		┧ [_ˈ		MEC'L	<u> </u>	_
REMARKS		Laborate Comment	16.1	xian 22			5	TORE		T	_
Surfice - dro	1001 8in	L Deroud		<u>کر</u>			┪ ┕				=
	STATION IDE	NTIFICATION NUMBER			DAY		нот	JR		7	_ >
[5	sc.			8604	28		03	٦,		32	_
						1	1012			•	
											_
FIELD ANALY	rsis	ANALYSI	3	UNITS		PARA	METE	R		VALU	IJ
☐ Water Temp ^O C P10,	<u> </u>	□ V.C.	501L	ppb	P			1,1	$\perp \downarrow$	Ш	L
D.OWinkler P300,	<u> </u>			I !	P			1.	\coprod		
☐ D.OProbe P299,	,	-chlocofo:	5W		P			1,1	360	סכ	1
□p ^H (Field) P400,		- I. I dichlo	ROETHA	E	Р			, ;	350	60	Γ
☐ Sample Depth-ft. P3,			ROETHE		Р			T, =	32	20	T
Gage Height-ft. P65,	 	- Tetrachlo			Р	\prod		, i	4	d	T
☐ Spec. Cond. ⊕ 25°C P95,	 	-TRICH LORE			Р		11		13.	40	<u>}</u>
Salinity 0/00 P480.	 				Р	11	+++		+1		t
☐ Tide Stage P70211	,				P	 	++	++	++	+	t
PACTEDIOLOGICAL DILITRI	IONE (PROUEETED)		•.		P	++	++	+	++	+	ł
BACTERIOLOGICAL - DILUTI Fecal Coliform - 1	-2 -3 -4 -5 -6					++		,	++	+-	ł
	10 10 10 10 10				P		+	١,	++	+-	ļ
Fecal -1 Streptococci 10 1 10	- 2 - 3 - 4 - 5 - 6 10 10. 10 10 10				P	\Box	+	 	+		-
Fecal coll					P	++		++	++	+	+
/100 mg MF P31613	• [1-1-	++	++		++	+	+
Fecal Strept P31677					P	+	++	,	+	+	ł
Fecal Strept P31677	. []]] ,	느				++	+	 , 	\dashv		+
□ Tot coli					P	-	++	- -	\dashv		ļ
Tot coll P31505	·				P	11		1,1	44	4	+
BIOCHEMICAL OXYG	EN DEMAND				P	$\bot \bot$	$\perp \perp$,	$\perp \downarrow$	\bot	1
INITIAL D.O. (lab.)					P		'	,			
SEED YES	NO				Р			$oxed{\int}$			
conc.					P				\prod		T
вор					P	\prod	\top	† :†	77	1	T
—					P	11		 	+	1	†
☐ BOD ☐ 5-DAY P310 ☐ 6-DAY P312					Р	\prod		1,1	11	+	†
DATE	TIMEY 2 (1986 CHAIN C	F CUSTODY (NAME)			ì		:{{\pi}	(MAI	įĘ,	- 5.
	DEPT. EKWIKUM E	TEL PROTECTION			_			61.654	1 2) 10	
	NEWARK	OF FICE						lau (, A			_
							N 104		<u> </u>	<u> </u>	_

ATTACHMENT G

MAY 30, 1986

CERTIFIED MAIL RETURN RECEIFT REQUESTED

Mr Roger Haller, Owner Haller Testing Laboratories Inc. 336 Leland Ave P.O. Box 46 Plainfield,NJ 07061

Re: Groundwater Investigation Plainfield / Union County

Dear Mr Haller,

As part of a groundwater investigation of the Plainfield Industrial area an inspection of the Haller Testing Labs (Haller) facility was conducted by representatives of the Division of Water Resources (DHR). Inia inspection lead to several sampling episodes within the drainage pits on the east and west sides of the building. Analytical data from soil sampling conducted at the (acility on February 5, 1786 and April 28, 1986 revealed elevated concentrations of volatile organics (see attached list).

Based on these analyses it has been determined that Haller is a probable contributor to the groundwater contamination in the Plainfield area. Haller is therefore DIRECTED to initiate a Soil Foring Investigation for the Haller facility in Plainfield. A work plan for the investigation is to be submitted to DWR for approval. The work plan is to be prepared by a qualified hydrogeologist and is to include at a minimum the following:

- A history of the facility including types of discharges, solvents used, and number and location of underground tanks.
- Borings are to be installed in sufficient number and depth to allow full delineation of the extent



of soil contamination in the area of the discharge drainage pit as well as the underground tanks.

- 3. Soil and water sampling and analytical procedures shall be designed to ensure representative monitoring results. At a minimum the program shall include procedures and techniques for:
 - i) Sample collection;
 - Sample preservation and shipment;
 - iii) Analytical procedures; and,
 - iv) Chain of Custody control.
- 4. These procedures shall be incorporated into a quality assurance/quality control (QA/QC) plan using the format designated in the USEPA Document OWRS QA-1 entitled <u>Guidance For Preparation of Combined Work/ Quality Assurance Project Flanz for Environmental Monitoring.</u>
- S. Samples are to be analyzed for volatile pollutants . as listed in N.J.A.C. 7:14A Appendix B, Table II using approved USEPA methods by a laboratory certified pursuant to N.J.A.C. 7:18.1 ot sec.
- A report containing the findings of the investigations shall be prepared and include:
 - i) Stratigraphic logs for each boring and test pit;
 - ii) Site plan of appropriate scale showing the locations of all borings and test pits;
 - iii) Analytical data from all sample .
 analyses;
- 7. A schedule for the implementation of the Soil Boring Investigation and submission of the report shall be included in the work plan.
- 8. The Soil Boring Investigation Work Plan shall be submitted to DWR no later than June 26, 1986. Upon DWR's approval of the work plan, Veterans shall implement the Soil Boring Investigation in accordance with the approved time schedule.
 - 9. All submittals called for in this Directive shall be made to:

Mr. Stefan D. Sedlak, Assistant Chief Metro Bureau of Regional Enforcement Division of Water Resources 2 Babcock Place West Orange, New Jersey 07052

Failure to comply with this Directive will result in appropriate enforcement action pursuant to the New Jersey Water Pollution Control Act N.J.S.A. 58:10A-1 et seq. and the Spill Compensation and Control Act N.J.S.A. 58:10-23.11 et seq.

If there are any questions concerning this matter please contact Mr. Anthony DeCandie of this office at (201)669-3700.

Very truly yours,

Stefan D. Sodiek Assistant Chief Metro Bureau of Regional Enforcement

E125

cc: Ruby Hodge, H.O.

Richard Cerbone, NJGS Randy Visler, ETWN

bas: Marianne Montgomery

Karen Jantis, DAS

SOIL SAMPLING ANALYSES

HALLER TESTING LABS PLAINFIELD, NJ

LOCATION	CONTAMINANT	CONCENTRATION
· FEBRUARY 6, 1	786	
DRAINAGE PIT (East side)	Ethylbenzene p-cymene Toluene	100 1050 1000
DRAINAGE PIT (West side)	none detected	
. APRIL 28, 198	6	
DRAINAGE FIT (East mide)	1,1 dichloroethene Tetrachloroethene Trichloroethene 1,1 dichloroethane Chloroform arts per billion (ppb)	3220 140 1350 3560 36000
content seren in p	mine her cities when	77.1.47% v = = = 1

ATTACHMENT H

NEW JET Y DEPARTMENT OF ENVIRONMENTAL F TECTION DIVISION OF WATER RESOURCES

INVESTIGATION MEMORANDUM

Persons Conducting Investigation	Complaint No./HUPDES No. HAllER
A. De Candia	Date of Investigation 8/5/86
	Routing 505
Location of Incident Haller To	19
Purpose of Investigation	
<u> </u>	
Per ons Interviewed Roger Ha	ller, owner
	of Findings Haller and he gave me
The following info	
1. Burns and Roe	will oversee the
Avilling of the test	f borings. Paul Janel
Burns and K	forings. Paul Jonih. Toe will handle the job. Rebule for the week of
8/18/86.	y
2. I as hel Mr. Hat	De of the Cab Sinh had I. He Stated That it had
been disconnecte	I. He Stated That it bak
not. I informed	fin that This must
be dane immeli	Cut Standing Directive
	Culling on
response to the	
is required.	J

ATTACHMENT I



State of New Jersey DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WATER RESOURCES CN 029 TRENTON, NEW JERSEY 08625

GEORGE G. McCANN, P.E.

DIRK C. HOFMAN, I DEPUTY DIRECTO

May 21, 1987

CERTIFIED MAIL RETURN RECEIPT REQUESTED

Mr. Roger Haller, President Haller Testing Laboratories, Inc. 336 Leland Avenue P.O. Box 46 Plainfield, NJ 07061

Dear Mr. Haller:

Re: Administrative Order and

Notice of Civil Administrative Penalty Assessment

Haller Testing Laboratories, Inc.

Plainfield /Union County

There is enclosed for service upon you an Administrative Order and Notice of Civil Administrative Penalty Assessment issued by the Department pursuant to the provisions of the Water Pollution Control Act, N.J.S.A. 58:10A-10b and d.

If you have any questions concerning this Administrative Order and Notice of Civil Administrative Penalty Assessment please contact Mr. Peter T. Lynch, Chief, Metro Bureau of Regional Enforcement, 2 Babcock Place, West Orange, NJ 07052, or by telephoning (201) 669-3900.

Very truly yours,

James E. Mumman

Assistant Director Enforcement Element

Enclosure

New Jersey Is An Equal Opportunity Employer

'ATTACHMENT ___



State of New Jersey DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WATER RESOURCES

CN 029 TRENTON, NEW JERSEY 08625

GEORGE G. McCANN, P.E.

DIRK C. HOFMAN, P DEPUTY DIRECTO

IN THE MATTER OF :

Haller Testing
Laboratories, Inc.:

ADMINISTRATIVE ORDER
AND
NOTICE OF CIVIL ADMINISTRATIVE
PENALTY ASSESSMENT

Plainfield / Union County:

This Administrative Order and Notice of Civil Administrative Penalty Assessment is issued pursuant to the authority vested in the Commissioner of the New Jersey Department of Environmental Protection (hereinafter "NJDEP" or the "Department") by N.J.S.A. 13:1D-1 et seq. and the Water Pollution Control Act, N.J.S.A. 58:10A-1 et seq., and duly delegated to the Director of the Division of Water Resources pursuant to N.J.S.A. 13:1B-4.

FINDINGS

- 1. Haller Testing Laboratories, Inc. ("Haller") is the owner and operator of a laboratory facility ("facility") located at 336 Leland Avenue, Plainfield, Union County; Block 152, Lot 9. Haller performs physical testing of concrete and asphalt samples for the construction industry. Mr. Roger Haller is the President of Haller Testing laboratories, Inc.
- 2. On August 29, 1985 an industrial survey was conducted by representatives of NJDEP at the facility as part of a ground water contamination investigation. As a result of the investigation the following observations were made:
 - a. Haller was discharging wastewater from the sink in its asphalt testing room into an unlined subsurface drainage pit on the north side of the facility.

HALLER TESTING LABS, INC. PAGE 2 of 10 PAGES

b. Wastewater from the chemistry lab sink and slop sink in the testing machine room discharged to an unlined subsurface drainage pit on the south side of the facility.

c. The abovementioned drainage pits eventually discharge to the ground water of the state.

Haller does not possess nor has it ever applied for a New Jersey Pollutant Discharge Elimination System (NJPDES) Permit to discharge wastewaters from its property to the ground waters of the state in violation of N.J.S.A. 58:10A-6a.

- 3. On September 16, 1985 a directive was issued to Haller by NJDEP to immediately cease all unpermitted discharges and submit a written report within thirty (30) days outlining the corrective actions taken.
- 4. On November 27, 1985 a directive was issued to Haller for failure to reply to the September 16, 1985 Directive. Haller was again directed to cease all unpermitted discharges and submit a written report within twenty (20) days detailing the corrective actions taken. A response to the November 27, 1985 directive was never received by NJDEP.
- 5. On January 2, 1986 Mr. Roger Haller was contacted by telephone by a representative of the NJDEP. During that telephone conversation, Mr. Haller stated that the sink in the chemistry lab had been disconnected from the subsurface drainage pit. The sink in the asphalt room was still in use and arrangements were being made to connect to the sanitary sewer or to a holding tank. During this conversation Mr. Haller was informed that he should respond in writing to the delinquent directives. To date no response has been received.
- 6. On February 6, 1986 a reinspection was conducted by representatives of NJDEP at the Haller facility. Samples were taken from the top of the sludge in the subsurface drainage pits on the north and south sides of the facility. Samples were analyzed by the New Jersey Department of Health Laboratory (NJDOHL) for volatile organics. The following are the analytical results:

Subsurface Drainage Pit (South)

Ethylbenzene 100 ppb
P-cymene 1050 ppb
Toluene 1000 ppb

5 unidentified peaks



Subsurface Drainage Pit (North)

- None Detected -

The inspection revealed that the chemistry laboratory sink continued to discharge to the south side subsurface drainage pit.

- 7. On March 13, 1986 a directive was issued to Haller by NJDEP to:
 - a. Cease all unpermitted discharges.
 - b. Remove and properly dispose of the sludge contained in the subsurface drainage pit on the south side of the facility.
 - c. Submit a written report within forty five (45) days outlining the corrective actions taken.

A written response to the March 13, 1986 Directive was never received by NJDEP.

8. On April 28, 1986 a reinspection of the Haller facility was conducted by representatives of NJDEP. Samples of the sludge were taken from the subsurface drainage pit (South) at a depth of twelve (12) inches below the top of the sludge. The results, as analyzed by NJDOHL are as follows:

Subsurface Drainage Pit (South)

Chloroform 1,1 dichloroethane 1,1 dichloroethene Tetrachloroethene Trichloroethene	3600 3560 3220 140 1350	ppb ppb
Trichloroethene	1000	PP~

- 9. On June 6, 1986 a directive was issued to Haller by NJDEP to initiate a soil boring program and submit a Work Plan prepared by a qualified professional no later than July 8, 1986.
- 10. On August 5, 1986 a representative of the NJDEP met with Mr. Haller at the Plainfield facility. At that meeting Mr. Haller stated that a Work Plan and response to the June 6, 1986 directive would be forthcoming. Neither the Work Plan nor the response have ever been received by NJDEP.
- 11. Based on the facts set forth in these FINDINGS, the Department has determined that Haller has violated the Water Pollution Control Act, N.J.S.A. 58:10A-1 et seq., specifically N.J.S.A. 58:10A-6, and the regulations

promulgated pursuant thereto, N.J.A.C. 7:14A-1 et seq., specifically N.J.A.C. 7:14A-1.2.

ORDER

NOW, THEREFORE, IT IS HEREBY ORDERED THAT:

- 12. Haller shall immediately cease all unpermitted discharges including the discharges of wastewater from the chemistry lab sink, the testing machine room slop sink and the asphalt testing room into subsurface drainage pits.
- 13. Within sixty (60) calendar days after receipt of this Administrative Order and Notice of Civil Administrative Penalty Assessment, Haller shall remove and properly dispose of all contaminated materials from the drainage pit on the south side.
- 14. Within thirty (30) calendar days after receipt of this Administrative Order and Notice of Civil Administrative Penalty Assessment, Haller shall submit to the Department a detailed draft remedial investigation work plan (hereinafter the "RI Work Plan") in accordance with the scope of work set forth below.
 - A. A soil boring and monitoring well program designed to delineate the vertical and horizontal extent of the soil contamination , and assess the adverse effect of contaminants on the ground water associated with the unpermitted discharges referred to above.
 - B. The RI Work Plan is to be prepared by a qualified hydrogeologist with substantial experience in ground water pollution investigations.
 - C. The RI Work Plan shall include an implementation time schedule.
 - D. All soil borings and monitor wells are to be installed by a licensed New Jersey Well Driller, pursuant to N.J.S.A. 58:4A-6. A valid New Jersey permit, issued pursuant to N.J.S.A. 58:4A-14 shall be obtained for each boring and monitor well from the DWR's Water Allocation Office (609) 984-6831.
 - E. Collection of split spoon samples shall be made during drilling through the overburden according to ASTM Standard Penetration Methods, ASTM D1586-67, continuously to the water table, at changes in soil strata and at all zones which

show obvious signs of pollution at all borings and monitor wells.

- F. Selected soil samples as determined by above ambient/background readings on air monitoring equipment, such as HNu or PID, are to be analyzed by a laboratory certified for gas chromatography in water pollution pursuant to N.J.A.C. 7:18-4.1 et seq., according to methods described in USEPA's "Test Methods for the Evaluation of Solid Waste, SW 846" for volatile organics as listed in N.J.A.C. 7:14A-1, Appendix B, Table II.
- G. Approved decontamination procedures shall be implemented.
- H. Soil and ground water sampling and analyses procedures shall be designed to ensure representative monitoring results. At a minimum the program shall include procedures and techniques for:
 - i. Sample collection;
 - ii. Sample preservation and shipment;
 - iii. Analytical procedures; and,
 - iv. Chain of Custody control.
 - I. All soil borings shall be grouted or sealed after drilling pursuant to N.J.A.C. 7:9-9.1 (b) by a licensed New Jersey well sealer.
 - J. A minimum of three monitor wells shall be installed under the direct supervision of a New Jersey licensed well driller and a qualified hydrogeologist. Wells are to be installed in accordance with the monitor well specifications which are attached hereto and made a part hereof.
 - K. Monitor wells are to be installed hydraulically upgradient from the on-site subsurface disposal system. Their number, location and depth must ensure that samples from the wells are representative of background ground water quality near the facility and that the samples are not affected by the facility.
 - L. Monitor wells are to be installed hydraulically downgradient from the on-site subsurface disposal system. Their number, location and

HALLER TESTING LABS, INC. PAGE 6 of 10 PAGES

depth must ensure that they intercept any contaminants migrating from these areas. In addition, the number and location of monitor wells must be sufficient to establish ground water flow direction.

These procedures shall be incorporated into a quality assurance/quality control (QA/QC) plan using the format designated in the USEPA Document OWRS QA-1 entitled Guidance For Preparation of Combined Work/Quality Assurance Project Plans For Environmental Monitoring.

- 15. Within twenty eight (28) calendar days after receipt of the Department's written comments on the draft RI Work Plan, Haller shall modify the draft RI Work Plan to conform to the Department's comments and shall submit the modified RI Work Plan to the Department. The determination as to whether or not the modified RI Work Plan, as resubmitted, conforms to the Department's comments shall be made solely by the Department.
- 16. Haller shall complete the remedial investigation in accordance with the approved RI Work Plan and the schedule therein.
- 17. Haller shall submit to the Department a draft Remedial Investigation Report (hereinafter "RI Report") in accordance with the RI Work Plan and the schedule therein. The RI Report shall at a minimum include:
 - A. Stratigraphic logs and cross-sections for each boring, showing all strata and field observations of contamination encountered. The soil shall be classified according to a standard approved system (i.e. Burmister, Unified).
 - B. All laboratory reports of soil analyses.
 - C. Analyze particle size in laboratory to identify grain size and confirm field identification.
 - D. An assessment of the degree and extent of soil contamination, and any adverse impact on the ground water.
 - E. Recommendations for further investigation if warranted including the installation of monitor wells.
 - F. Recommendations for remedial measures designed to eliminate, decontaminate, control or otherwise mitigate ground water pollution.

HALLER TESTING LABS, INC. PAGE 7 of 10 PAGES

- 18. If upon review of the draft RI Report the Department determines that additional remedial investigation is required, Haller shall conduct such additional remedial investigation and submit a second draft RI Report, as directed by the Department.
- 19. Within twenty eight (28) calendar days after receipt of the Department's written comments on the draft RI Report, Haller shall modify the draft RI Report to conform to the Department's comments and submit the modified RI Report to the Department. The determination as to whether or not the modified RI Report, as resubmitted, conforms with the Department's comments shall be made solely by the Department.
- 20. If upon review of the RI Report the Department determines that Remedial Action is required to mitigate contamination at the Haller facility, Haller shall prepare and submit Feasibility Studies, a detailed Remedial Action Plan and Financial Assurances in accordance with the requirements of the Department. Haller shall conduct the Remedial Action in accordance with a Remedial Action Plan and schedule approved by the Department.
- 21. Compliance with the terms of this Administrative Order shall not excuse Haller from obtaining and complying with all applicable federal and state permits, statutes and regulations while carrying out the obligations imposed by this Administrative Order. The execution of this Administrative Order shall not preclude the Department from Administrative Order shall not preclude the Department from requiring that Haller obtain and comply with any permit issued by the Department under the authority of the Water Pollution Control Act, N.J.S.A. 58:10A-1 et seq. for the matters covered herein. The terms and conditions of any such permit shall not be pre-empted by the terms and conditions of this Administrative Order.

NOTICE OF CIVIL ADMINISTRATIVE PENALTY ASSESSMENT

- 22. Pursuant to N.J.S.A. 58:10A-10d and N.J.A.C. 7:14-8.1 et seq. and based upon the above FINDINGS, NJDEP has determined that a civil administrative penalty should be assessed against Haller in the amount of \$5,000.
- 23. Payment of the penalty is due when a final order is issued by the Commissioner subsequent to a hearing if any, or when this Administrative Order and Notice of Civil Administrative Penalty Assessment becomes a final order (see following paragraph). Payment shall be made by check

payable to "Treasurer, State of New Jersey" and shall be submitted to:

Peter T. Lynch, P.E., Chief Metro Bureau of Regional Enforcement Division of Water Resources 2 Babcock Place West Orange, New Jersey 07052

24. If no request for a hearing is received within twenty (20) calendar days from receipt of this Notice of Civil Administrative Penalty Assessment, it shall become a final order upon the twenty-first calendar day following its receipt and the penalty shall be due and payable.

NOTICE OF RIGHT TO A HEARING

- 25. Pursuant to N.J.S.A. 52:14B-1 et seq. and N.J.S.A. 58:10A-10b and d, Haller is entitled to an administrative hearing. Any hearing request shall be delivered to the address referenced in paragraph 23 within twenty (20) calendar days from receipt of this Administrative Order and Notice of Civil Administrative Penalty Assessment.
- 26. Pursuant to N.J.S.A. 52:14B-9(b) and N.J.A.C. 1:1-6.1(b), Haller shall, in its request for a hearing, furnish NJDEP with the following:
 - a. A statement of the legal authority and jurisdiction under which the hearing or action to be taken is to be held:
 - b. A reference to the particular sections of the statutes and rules involved;
 - c. A short and plain statement of the matters of fact and law asserted; and
 - d. The provisions of this Administrative Order and Notice of Civil Administrative Penalty Assessment to which Haller objects, the reasons for such objections, and any alternative provisions proposed.

GENERAL PROVISIONS

27. This Administrative Order and Notice of Civil Administrative Penalty Assessment is binding on Haller, its principals, directors, officers, agents, successors, assigns, any trustee in bankruptcy or other trustee, and any receiver appointed pursuant to a proceeding in law or equity.

28. Haller shall submit all documents required by this Administrative Order and Notice of Civil Administrative Penalty Assessment by certified mail, return receipt requested or by hand delivery to:

Peter T. Lynch, P.E., Chief Metro Bureau of Regional Enforcement Division of Water Resources 2 Babcock Place West Orange, New Jersey 07052

- 29. Notice is given that violations of any statutes, rules or permits other than those herein cited may be cause for additional enforcement actions, either administrative or judicial, being instituted without further notice. By issuing this Administrative Order and Notice of Civil Administrative Penalty Assessment the Department does not waive its rights to initiate additional enforcement actions.
- 30. No obligations imposed by this Administrative Order and Notice of Civil Administrative Penalty Assessment (with the exception of paragraph 22, above) are intended to constitute a debt, damage claim, penalty or other civil action which should be limited or discharged in a bankruptcy proceeding. All obligations imposed by this Administrative Order and Notice of Civil Administrative Penalty Assessment shall constitute continuing regulatory obligations imposed pursuant to the police powers of the State of New Jersey, intended to protect the public health, safety, welfare and environment.
- 31. Notice is given that pursuant to N.J.S.A. 58:10A-10d, NJDEP is authorized to assess a civil administrative penalty of not more than \$5,000 for each violation and additional penalties of not more than \$500 for each day during which such violation continues after receipt of an administrative order from NJDEP.
- 32. Notice is further given that pursuant to N.J.S.A. 58:10A-10e, any person who violates N.J.S.A.58:10A-1 et seq. or an administrative order issued pursuant to N.J.S.A. 58:10A-10b or fails to pay the civil administrative penalty in full after it is due shall be subject to a civil penalty not to exceed \$10,000 per day of such violation, and each day's continuance of the violation shall constitute a separate violation.
- 33. Notice is further given that pursuant to N.J.S.A. 58:10A-10f, any person who willfully or negligently violates N.J.S.A. 58:10A-1 et seq. shall, upon conviction, be guilty of a crime in the fourth degree and shall be punished by fine of not less than \$2,500 nor more than \$25,000 per day of violation or by imprisonment for not more than one year or by both.

ATTACHMENT J

Jorge H. Berkowitz, Ph.D.

State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY BUREAU OF ENVIRONMENTAL RADIATION

CN 411 TRENTON, NEW JERSEY 08625 (609) 530-4001

June 1, 1987

Mr. Roger W. Haller, President The Haller Testing Laboratories 336 Leland Avenue, P. O. Box 46 Plainfield, New Jersey 07061

Dear Mr. Haller:

SUBJECT: NOTICE OF LICENSE EXPIRATION

LICENSE NUMBER NJSL-10130 EXPIRATION DATE: 08.01.87

Our records indicate that your New Jersey State Radioactive Materials License will soon expire on the date shown above.

If you do not wish to renew your license, complete the enclosed "Certificate - Disposition of Radioactive Materials" form and return it to this office.

If you desire to continue your radioactive material(s) program, an application for renewal of the license should be filed with this office in a timely manner. According to NJAC 7:28-4.12, an existing license shall not expire until the Department has acted on the renewal application provided it has been filed in proper form not less than 30 days prior to expiration of the existing license.

In submitting the "Application for Radioactive Materials License", all items must be completed with no reference to previously filed documents. If you wish to support an application through information contained in other documents, you may submit copies of those documents.

Sincerely,

John Feeney

License Administrator Radioactive Materials Section

cab
Enclosures: (3)
RAMII57

'ATTACHMENT ____

ATTACHMENT K

.



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY CN 027, TRENTON, NJ 08625



ADMINISTRATIVE ORDER

TO: The Haller Testing Laboratories 336 Leland Avenue P.O. Box 46 Plainfield, New Jersey 07061 Roger Haller, Owner LOG: #R871151

Contact/Phone: (201) 756-4636 Violation Occurred On Premises Known As:

336 Teland Avenue, Plainfield, Union County, New Jersey, 10 #10130

The New Jersey Department of Environmental Protection (the "Department") has determined by investigation(s) made pursuant to the provisions of the Radiation Protection Act (the "Act") N.J.S.A. 26:3D-1 et seq. that on September 1, 1987, you did violate the New Jersey Administrative Code, Title 7, Chapter 28, Subchapter(s) & Section(s) as follows:

- .4.2 The investigation disclosed that the licensee was in possession of radioactive materials without a valid State license.

 Specifically, the license expired on August 1, 1987.
- 4.10(d) The investigation disclosed that the licenses failed to comply with Condition 16A of its radioactive materials license.

 Specifically, survey instrument calibrations exceed 6 south intervals.

YOU ARE MEREBY ORDERED to cease violation of said Subchapter(s) and Section(s) on the promises owned, leased, operated or maintained by you on or before Zotober 17, 1987)

of National Festith, CN All. Treaton. New Jersey CS625 on or before October 17. 1987, identifying the stops you have taken to cease the above violations of the New Jersey Administrative Code.

NOTICE IS HEREBY GIVEN that pursuant to N.J.G.A. 25:20-13, any person who violates the provisions of the Act, or any tule, regulation or order prosulgated or issued pursuant thereto shall be liable to a penalty of up to \$2,500 for each offense. If the violation is of a continuing nature, each dividuring pich it continues shall constitute an additional, separate and distinctions.

Should you have any questions, contact Mr. John Feeney, Bureau of Mayironmental Badiation, (609)520-4025.

Dated: September 17, 1987

Anthony J. McMahon, Addistant Director Envioragental Enviorcement

PROGRAM: RADIATION

CERTIFIED



OVER

ATTACHMENT K2

•	
ageof	

NEW JERSEY STATE DEPARTMENT OF ENVIRONMENTAL PROTECTION FIELD RECORD OF VIOLATIONS

-- RADIOACTIVE MATERIALS-

j	RADIOACTIVE MATERIALS
VI	
DA	TIME AT SITE 2:00 p.m. 3.30 p.m. NJSL NO.(0/30
	TIME AT SITE 2.00 P. 3.30
•	from to NJSL NO. (0/30
	A FULL BUSINESS NAME Le Haller Teating Laboralizes MAILING ADDRESS 336 Leland Quenue P.O. Box 46 Street City Rainfuld 70 0706, TYPE OF OLIMFISHER 201-757-4631
SEC	
350	A FULL BUSINESS NAME She Wall To
	lesting Laboralion
<u> </u>	MAILING ADDRESS 336 Level
	Street and allener P.O. Brive 111
	City On The
*	PHONE NUMBER 201-758-463
	30706,
	TYPE OF OWNERSHIP NAME OF OWNER, PARTNERS, OFFICERS, OFFICIALS
NO	PARINERS, OFFICERS, OFFICIALS
SON IN	
PERSON VIOLATI	Partnership Rally
ER IO	corporation
■ : ♣ >	nunicipal
	(type)
2	Hospital
•	
•	
.	PERSONS INTERVIEWED/COMMENTS/PHONE A
	PERSONS INTERVIEWED/COMMENTS/PHONE & Roger Haller President
- }	- Buttery
•	
SEC B	LOCATION ADDRESS same Plans 1 11
-5 3	Street Plainfuld
1	W
3 O	DEFARIMENT OF MES
	OWNER Rager Naller Same
1 5	OWNER ROSE NO. BLOCK NO.
30	Name Jane
	Street
	CODE REFERENCE: NJAC - CHAPTER 28 TITLE -
· .	
	1. Code # Master List RML5 1. Section of NJAC 4. 2
į	1. Section of NJAC 4. 2
J.	O Section of NJAC /: Z
ľ	august 1, 1987
· [
<u> </u>	
■	
01	RECOMMENDED ACTION
OF VIOLATION	and the state of t
	mme la : 20
- 1	D. " Indialore,
DETAILS	Device is to remain instance until
E	in in Mario 11 to
- 5	renewal luense is in its
_ 💾 📗	mine is issued
	ATTACHMENT K3
-	ALIAUHMENT <u>N</u> 3

	NAL VIOLATIONS	0 11		
2. Code	Master List_	16A A	2.	esceles 6 mm
11	atruma	1141	Julipera	lly surey
	To a	searce,	tions	excelled 6 mon
in	serves			
270000				
RECURED.	DED ACTION			
		- lmn	reduct	el
-				
		7		
3. Code	Master List		3	
·				Section of NJAC
RECOMMEND	ed action			
				•
	<u> </u>			
Reviewed b	y John	+ en	Inspector	Willian Plans
		1		Signature /
	7/2/g			
	Dete			Print None C Ties
	Dete		•	Print Name & Title
	The Date			
	Dete			9-3 37

Check Here If Continued On Additional Page

'ATTACHMENT 4

ATTACHMENT L



State of New Jersey

DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF WATER RESOURCES METRO BUREAU OF REGIONAL ENFORCEMENT

2 BABCOCK PLACE WEST ORANGE, NEW JERSEY 07052

GEORGE G. McCANN, P.E. DIRECTOR

DIRK C. HOFMAN, P.E. DEPUTY DIRECTOR

January 25, 1988

MEMORANDUM

TO:

Assistant Director Mumman

Enforcement Element

Division of Water Resources /

FROM:

Peter T. Lynch, Chief // Division of Water Resources

Metro Bureau of Regional Enforcement

SUBJECT:

Haller Testing Laboratories, Inc.

Plainfield/Union County

Administrative Order and Notice of

Civil Administrative Penalty Assessment

On May 21, 1987 an Administrative Order (AO) and Notice of Civil Administrative Penalty Assessment was issued by the Department to Haller Testing Laboratories, Plainfield/Union County. The AO requires that Haller Testing Laboratories immediately cease all unpermitted discharges from the facility; remove and dispose of all contaminated materials from a drainage pit; submit a draft hydrogeologic remedial investigation work plan and submit payment of a civil administrative penalty of \$5,000.

To date, Haller Testing Laboratories has failed to comply with the terms of the AO and Notice of Civil Administrative Penalty Assessment. No request for an Administrative Hearing or any other response has been received from Haller Testing Laboratories.

New Jersey Is An Equal Opportunity Employer

ATTACHMENT

It is therefore recommended that this matter be referred to the Office of the Attorney General for legal action to compel compliance with the terms of the AO, obtain payment of the assessed penalty, and also obtain maximum statutory penalties for failure to comply with the AO.

A copy of our file on this matter is attached.

E119:G25

ATTACHMENT M

Form DWR- 052 3/81

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES

REPORT OF PHONE CALL OR VISIT

	METRO ENFORCEM Out Time		Fil Ro	outing Steve	loiting edlak
Person Contacted Affiliation	Juestigator Crisnisal	Varguez Jestice,	Ph	one No.	
Subject of Call VISIT	Faller I	estily (Panke	ld	
Summary of Call Visit	Varguez (inspected	Waller) on 2/:	3/88.
Daller	Donani		. – 4.	C RE, OL Q	15/84
tode		ill Stop a inspecti			- Our
file.		<u> </u>		/	
		<u> </u>	·		· · · · · · · · · · · · · · · · · · ·
	· · · · · · · · · · · · · · · · · · ·				
Action Recommen	nded		of the state of th		
				· .	<u></u>
					•

Doris J. Kilijanski

Signature

ATTACHMENT M

ATTACHMENT N





NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY CN 027, TRENTON, NJ 08625



NOTICE OF PROSECUTION

TO: Haller Testing Laboratories
336 Leland Avenue
P.O. Box 46
Planfield, New Jersey 07061
Roger Haller, President
LOG #R580610

Contact/Phone: (201) 756-4639 Violation Occurred On Premises Known As:

336 Laland Avenue, Plainfieli. Union County, New Jarsey, ID \$10130

The New Jorsey State Department of Environmental Protection (the "Department") has determined by investigation(s) made pursuant to the provisions of the Radiation Protection Act (the "Act") b.J.S.A. 15:10-1 at seq. took on November 19, 1037, you did violate the New Jersey Administrative Code, Title 1, Chapter 12, Addiation Protection, Subchapter and Section as follows:

4.1(5) - The investigation disclosed that you failed to acquire a valid State license issued by the Department for the radioactive material in you possession. Specifically, your license expired on august-1, 1987.

MOTICE IS GEREBY GIVEN that pursuant to N.J.S.A. 26:20-13, any person who violates the provisions of the Acc, or any rule, regulation or order promulated or issued pursuant thereto shall be liable to a penalty of up to \$2,500 for each offense. If the violation is of a continuing nature, each day during which is continues shall constitute an additional, separate and distinct offense.

Pursuant to N.J.S.A: 26:20-13, the Department's differ of settlement for the wiolation(s) clisted above is \$1,000.00.

SETTLEMENT: The above offer of sectlement was be noted or or begins during to 1900. By anack or maney order drawn to the order of the New Densey department of drawn the New Densey department of drawnsamer the Proception.

if you fail to accept the Department's offer of settlement and/or fail to comply with the pequirements of V.J.A.C. Triff-1 at seq., the master will be trifaured to the Diffice of the Accorney General with the factormeriation in seek injunctive reliet on partimum penalties for each violetton as provided by law.

Should you have any questions, contact ds. dail Paletine, backdith Enforcement Manager, at (609) 190-1909.

Datad: July 3, 1988

Anthony of Medaher Anthony Chreetor Saviornmental Enjoychment

PROGRAM: RADIATION CERTIFIED MAIL

ATTACHMENT \

Page	1	of	1
U			

NEW JERSEY STATE DEPARTMENT OF ENVIRONMENTAL PROTECTION FIELD RECORD OF VIOLATIONS

Rad Noc Med NOP

-- RADIOACTIVE MATERIALS--

TOLA	TION $11-19-87 TIME AT SITE $	
<u> 2 A</u>	FULL BUSINESS NAME Haller Testing Laboratories	
	MAILING ADDRESS 336 Leland Avenue, P.O. Box 46 Plainfield Street City	07061 Zip Code
l	PHONE NUMBER 201-756-4636	
-	TYPE OF OWNERSHIP NAME OF OWNER, PARTNERS, OFFICERS, OFFICIAL	LS TITLE
vioľario	Individual X Roger Haller Partnership Corporation	President
5	Municipal(type)	
•	Hospital	
	PERSONS INTERVIEWED/COMMENTS/PHONE # Roger Haller (phone co	onversation); Louis Scotti
	• • • • • • • • • • • • • • • • • • •	
ļ		
<u>: B</u>	LOCATION ADDRESS 336 Leland Avenue Plainfield	Union
	Street Municipality	County
NO IO		BLOCK NO
VIOCATION	OWNER Rober Haller 336 Leland Avenue, P.O. Box 46 Name Street	Plainfield City
^	CODE REFERENCE: NJAC - CHAPTER 28 TITLE 7	<u> </u>
 I.	1. Code # Master List RML5 # 22 1. Section of	NJAC 4.1(b) (Formerly 4.2)
ļ	August 1, 1987 Specifically your	
<u>.</u>	August 1, 1987 Specifically, your liverse expired on Lugust 1, 193	
	on Luguest 1, 193	17.
TION		
OF VIOLATION	RECOMMENDED ACTION NOP \$1000.00	
	*Follow-up Inspection	
ETAILS	R880612	1/2
~戶	1) 3 3 4 4	ATTACHMENT /

ATTACHMENT O



State of New Jersey
DEPARTMENT OF ENVIRONMENTAL PROTECTION
DIVISION OF ENVIRONMENTAL QUALITY

中的一种的一种基础的一种基础的一种基础的一种基础的

CN 415 Trenton, N.J. 08625-0415 (609) 987-6402 Fax (609) 987-6390

Jorge H. Berkowitz, Ph.D. Director

Gerald P. Nicholls, Ph.D., Assistant Director Radiation Protection

January 10, 1989

Mr. Roger Haller, President Haller Testing Laboratories 336 Leland Avenue P. O. Box 46 Plainfield, New Jersey 07061

a stiff expression translation because it is some such as a such a

Dear Mr. Haller:

SUBJECT: NOTICE OF LICENSE EXPIRATION - LICENSE #NJSL-10130 EXPIRATION 08.01.87

To date, our office has not received a renewal application for your New Jersey State Radioactive Materials License.

This will be the last notice our office will make. If your application is not received by our office by January 17, 1989, the matter will be referred to the Bureau of Enforcement Services with a recommendation for the assessment of a monetary penalty.

Sincerely,

William P Caregas

William P. Csaszar Radiation Physicist Radioactive Materials Section

WC:102

(inspection)
Device still sealed & on the

premise who

ATTACHMENT (South 1200)

ATTACHMENT P

SUMMARY OF ATTORNEY GENERAL REFERRAL

Haller Testing Laboratories, Inc. 336 Leland Avenue Plainfield/Union County

As part of an industrial survey conducted by Metro Bureau of Regional Enforcement prompted by the contamination of Plainfield municipal wells, Haller Testing Labs was inspected on August 29, 1985. Several directive letters were subsequently issued for the violation listed below, however, a written response was never received from Haller addressing this matter. Due to noncompliance with NJDEP, it has not been determined if Haller is responsible for the contamination of the local wells.

Violation: Discharge of materials containing various VOCs from lab sinks to a subsurface disposal system (UIC). Haller did not or does not currently have a NJPDES permit.

Enforcement Action: An Administrative Order/ Notice of Civil Administrative Fenalty Assessment in the amount of \$5,000 was issued on May 21, 1987. This action ordered Haller to cease the discharges, remove and dispose of sludges and initiate a hydrogeological workplan.

Metro Bureau of Regional Enforcement referred this Referral: matter to the Office of the Attorney General due to Haller's failure to comply with the terms of the AO/NCAFA. No contact whatsoever has been made by Haller to NJDEP regarding this matter.

PREFARED BY: Slowa 7.

DATE: 2-14-89

'ATTACHMENT'

ATTACHMENT Q



Jorge H. Berkowitz, Ph.D. Director

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY CN 027, TRENTON, NJ 08625



Anthony J. McManon, Assistant Director Environmental Enforcement

NOTICE OF PROSECUTION

TO: Haller Testing Laboratories
336 Leland Avenue
P.O. Box 46
Plainfield, New Jersey 07061
Roger Haller, President
LOG: #R890067

Contact/Phone: (201) 756-4635; Violation Occurred On Premises Known As:

336 Leland Avenue, Plainfield. Wolon County, New Jersey, ID #10130

The New Jersey Department of Environmental Protection (the "Department") has determined by investigation(s) made pursuant to the provisions of the Radiation Protection Act (the "Act") N.J.S.A. 26:28-1 et seq. that on January 20, 1989, you did violate the New Jersey Administrative Code, Title 7. Chapter 28, Subchapter(s) & Section(s) as follows:

4.1(b) - The investigation disclosed that you failed to accuire a validation of State license issued by the Department for the radiomethy substance you produced, transferred, redeived, acquired, owned, possessed or used.

NOTICE IS SEVERY GIVEN that pursuant to N.J.S.A. 18:2D-13, any negative was reclased the provisions of the Ast, or any tule, requirely no to 52,500 for each of lease. If the violation is of a continuing nature, such day during which in continues shall constitute to additional represent wild distinct affects.

Pursuant to M.J.S.A. 16:00-13, the Department's offar of centlament for the will lation(c) increase above in \$1.500.00.

SETTLEMENT: The above offer of sectlament munc by pulif on or believe watch 10. 1989, by check or money order drawn to the worder of the New Leman Department of Environmental Protection.

If you fail to occupt the Department's sifter of the telement and the comply with the requirements of N.J.A.C. 7 15-1 at sec. the matter will be referred to the Office of the Attorney General with the recommendation to need injunctive relief and maximum penalties for each violation as probline 5-4 int.

Should you have any questions, content Mr. Okli Relation. Appliation Enforcement Mannest, et (600) 190-1808.

Dotad: Fobruary 10, 1989

Anthony J. Mightheye, any Later Directory Sandorphenical Incorporation 785 (1886)

PROGRAMY RADIATION CONTIFIED MAIL

H-25-89 - ROSERHALLER FIlled out Application

AND I Took IT WI ME FOR Processing ATTACHMENT (
HE also gave me the NOP of 1,500.00 check with

HEWILL NOTIFY US WHEN LEAK TEST IS TO BE PERFORMED

		Page 1 of \ 1
	NEW JERSEY STATE DEPARTMENT OF ENVIRONMENTAL PROTECTION FIELD RECORD OF VIOLATIONSRADIOACTIVE MATERIALS	VAP NOC
DATE_	1-20-89	NO. 10130
EC A	FULL BUSINESS NAME Haller Testing Laboratories	
And the state of t	MAILING ADDRESS 336 Leland Avenue, P.O. Box 46 Plainfield Street City PHONE NUMBER 201-756-4636	07061 Zip Code
VIOLATION	TYPE OF OWNERSHIP NAME OF OWNER, PARTNERS, OFFICERS, OFFICIALS Roger Haller Partnership Corporation Municipal (type) Hospital PERSONS INTERVIEWED/COMMENTS/PHONE # Louis Scotti	President
<u>С В</u>	LOCATION ADDRESS 336 Leland Avenue Plainfield Street Municipality	Union County
NOI	DEPARTMENT Laboratory LOT NO	
VIOCATION	OWNER Roger Haller 336 Leland Avenue Pla Name Street	infield City
CS OF VIOLATION	CODE REFERENCE: NJAC - CHAPTER 28 TITLE 7 1. Code # Master List 24 1. Section of NJAC 4 RECOMMENDED ACTION	.1(b)
S OF V	NOP \$1,500.00 and license is to be re immediately.	

MATTACHMENT Q2

ATTACHMENT R

APPLICATION FOR RADIOACTIVE MATERIALS LICENSE

ISTRUCTIONS - Complete all items in the application whether for a renewal or an initial application. Do not make reference to documents previously filed with the State or any other government agency. Read each item carefully and answer as completely as possible. l attachments are to be appropriately labeled (e.g. the first attachment for Item 6 should read 6A, the second 6B, the third 6C, etc.) make a copy of the completed application and all attachments for your records. Mail the original to: New Jersey State n

vill become part of the terplication, the applicant tatutory and implementing applicable rules, regulation to the complement of the complement of the complements and the complements are supplicable rules, regulations are supplied to the complements and the complements are supplied to t	n, Bureau of Environmental Radiation, Radioactive Materials we Jersey 08625. The information submitted in this application rms and conditions of the license. Upon approval of the will receive a radioactive material license issued pursuant to regulatory authority. This license will be subject to all ons and orders of all appropriate regulatory agencies now or any conditions specified in the license.
. FACILITY (Institution	n, Firm, Hospital, Person, etc.)
NAME	THE HALLER TESTING LABORATORIES, INC.
ADDRESS	336 LELAND AVENUE, P.O.BOX 46
CITY, COUNTY, ZIP CODI	E PLAINFIELD, NJ 07061, UNION COUNTY
PHONE NUMBER	201-756-4637
DEPARTMENT(S) THAT WIN	LL STORE AND/OR USE THE RADIOACTIVE MATERIAL (if more space is tachment 2A, 2B, etc.)
NAME ADDRESS	INSPECTION DIVISION THE HALLER TESTING LABORATORIES, INC. 336 LELAND AVENUE, P.O.BOX 46
CITY, COUNTY, ZIP COD	E PLAINFIELD, NJ 07061, UNION COUNTY
FHONE NUMBER	201-756-4637
l. NAME	
ADDRESS	
CITY, COUNTY, ZIP COD	E
- NAME	
ADDRESS	
CITY, COUNTY, ZIP COD	E
. Have you ever been de	nied a license for use of radioactive material by any federal or

state jurisdiction or has such a license ever been revoked or suspended?

N.J.D.E.P. BUREAU OF ENVIRONMENTAL RADIATION

indicate previous license number.

License No. 10130

Previous License Number and Issuing Agency:

YES (If yes, describe details on additional sheet) If this is a renewal, please

WITACHMENT R

Í	
	RADIOACTIVE MATERIAL USER(S). (Name and title of individual(s) who will use, directly supervise or approve the use of radioactive materials. For human use of the radioactive material, the licensed user is an individual who will possess or use radioactive substances, prescribe dosage, administer, or arrange for the administration of said substances to human beings or irradiate, or arrange for the irradiation of human beings by said substances. List training and experience in Item 6)
,	A. ROGER W. HALLER, PRESIDENT
	B. V. REDDY KANCHARLA
	c. HENRY BEJGROWICZ
	D. LOUIS ESPOSITO
	E. SYED HASSAN
	F.
 	RADIATION SAFETY. Radiation Safety Officer (Name and title of person designated as radiation safety officer. List training and experience in Item 6.)
: 1	Name V. REDDY KANCHARLA Title RSO
	If this facility has a Radiation Safety Committee or Isotope Committee, describe the committee's responsibilities, duties, membership and meeting frequency (Label this Attachment 5) ATTACHMENTS ENCLOSED NOT APPLICABLE
2	TRAINING AND EXPERIENCE. Delineate the training and experience of individuals listed in Item 4 by inclusion of a resume and a summary of training for each individual. For applications for Human-Use licenses, physicians in lieu of documentation of training and experience, may submit proof of certification by an appropriate board or proof of certification as Fellow in an appropriate College or Faculty. (Label these items for each individual as Attachment 6A, 6B, 6C, etc.)
	X ATTACHMENTS ENCLOSED
1	RADIATION PROTECTION PROGRAM. Describe the radiation protection program at the facility. Include copies of documents relating to radiation protection procedures and control measures (e.g. emergency procedures, spill control, surveys performed and their frequency, etc.) (Label these Attachments 7A, 7B, 7C, etc.)
:	X ATTACHMENTS ENCLOSED
}	FACILITIES AND EQUIPMENT. Describe laboratory facilities, remote handling equipment, storage containers, shielding, fume hoods, etc. Include sketches of facilities. (Label these Attachments 8A, 8B, 8C, etc.)
	X ATTACHMENTS ENCLOSED
	PERSONNEL MONITORING PROCEDURES. Describe the methods used for personnel dosimetry including type of dosimeter, frequency of changing, methods for calibration and processing or the name of the supplier. (Label these Attachments 9A, 9B, 9C, etc.)
٠ ٠	ATTACHMENTS ENCLOSED R.S.LANDAUER JR.COMPANY GLENWOOD SERVICE PARK

GLENWOOD, ILLINOIS 60425

ATTACHMENT R2

100 COMPLETE THIS SECTION FOR ALL NON-HUMAN USE RADIONUCLIDES TO BE INCLUDED IN THE LICENSE. (IF THE NUMBER OF NUCLIDES EXCEEDS THIS SPACE AVAILABLE IN ONE SHEET, MAKE COPIES OF THIS SHEET AND COMPLETE.

			THE SHEET AND COMPLETE.		
Radio- nuclide	Chemical and/or Physical Form	Maximum List Users as Iden Amount in Idem 4 for each (mCi) nuclide (e.g. 44, through 4J)	Radio- radioactive meterial will his		
RADIUM	226 Be	NOT TO EXCEED	CONSTRUCTION SITES IN N.J.		
		25 MILLICURIES			
1			SEAMAN NUCLEAR CORPORATION		
		:	MODEL C-75BP		
			DENSITY/MOISTURE GAUGE		
	· · · · · · · · · · · · · · · · · · ·				
		i 			
				•	
!					
i					
:					

COMPLETE THIS SECTION FOR HUMAN-USE APPLICATION OF RADIOACTIVE MATERIALS. For the Users identified in Item 4 (e.g. MA, 48, 40, etc.), cehck the appropriate HUMAN-USE groups (as per NJAC 7:25-4.7) for which licensing is desired. (If the number of users exceeds the space available on one sheet, make copies of this sheet and complete.)

Users Identified	HUMAN - USE GROUPS						
in Item -	 I:		ŢŲ.	V	VI		
- 4	:	!					
4-3	,	:					
•C		:					
-5		NOT APPLICA	RIF				
÷E .		:					
•f	:						
-U	!			:			
			· · · · · · · · · · · · · · · · · · ·	!	 .		
-:		:	1				
-3		:		<u>-</u>			
4 h					······································		

LATTACHMENT K

INSTR	UMENT	NO. OF	RADIATION	SENSITIVITY	USE:	CALIBRATION
Meter/Analyzer (Make & Model)	Probe/Detector (Make & Model)	UNITS	DETECTED (α, β, γ)	RANGE (mR/hr, cpm) mR/hr.	M-Monitor S-Survey Q-Measure	FREQUENCY Q-Quarterly S-Semi-Annual A-Annual
SOLAR ELECTRONICS INTL. MONITOR 4 SURVEY METER	MONITOR 4 S/N - N/A	1	ALPHA BETA GAMMA X-RAY	0-0.5 0-5.0 0-50. (3 ranges)	MONITOR SURVEY	SEMI-ANNUAL
					·	·
\mathcal{R}_{4}						

2. INSTRUMENTATION CALIBRATION. Describe the method and frequency of calibration of each instrument listed in Item 11. If a consultant is employed to perform this service, specify the company's name and address. (Label these Attachments 12A, 12B, 12C, etc.) SEMI-ANNUAL CALIBRATION BY CERTIFIED TESTING LABORATORIES

2623 ROBERTS AVENUE, BRONX, NY 10461

ATTACHMENTS ENCLOSED NO

B. WASTE DISPOSAL. Describe the methods which will be used for disposing of radioactive waste and estimate the type and amount of activity involved for each method. If a commercial waste disposal service is employed, give the company's name and address.

ATTACHMENTS ENCLOSED ATTACHMENT ENCLOSED

4. I, CERTIFY UNDER PENALTY OF LAW THAT THE INFORMATION PROVIDED IN THIS DOCUMENT IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT CIVIL AND CRIMINAL PENALTIES FOR SUBMITTING FALSE, INACCURATE OR INCOMPLETE INFORMATION, INCLUDING FINES AND/OR IMPRISONMENT.

ROGER W. HALLER

Applicant Named in Item 1

/Ler, WHalac

Signature of Certifying Official

APRIL 25, 1989

Date

ROGER W. HALLER, PRESIDENT

Name and Title of Certifying Official

The Haller Testing Laboratories, Inc.

ITEM 7 - RADIATION PROTECTION PROGRAM:


- Maintenance: All instrument and source maintenance, normal radiation surveys, and leak testing will be performed by the manufacturer, the Seaman Nuclear Corporation. Work will be performed at their facilities under warranty and/or extended service contracts.
- 2. Accessibility of Use: In addition to the above noted facilities procedures, except while in locked storage the instrument shall remain under the direct supervision of the individual user(s) named in the license, or Radiation Protection Officer.
- 3. Emergency Procedures: The operator will be familiar with and have a copy of his emergency procedures in his possession whenever the instrument is used. These procedures will include appropriate sections of the state regulations regarding reporting of accidents. The following will also be included:
 - a. For accidents in minor damage to the instrument housing, the unit will be returned to the factory for repair.
 - b. For accidents resulting in serious damage to the instrument, such that the base is broken and the source or its holder may be damaged:
 - 1. Seal off and protect the immediate area.
 - 2. Notify local and/or state authorities so that a survey of the site can be made before the area or instrument are disturbed.
 - c. To enable reporting and assistance with accidents, the emergency procedures checklist will include phone numbers for state and local health departments and the Seaman Nuclear Corporation.
 - 4. Personnel Protection: All users shall be provided with film badge type dosimeters to be worn when handling or using the instrument. Authorized personnel shall see to it that other persons are kept away from the instrument during use, transportation, or storage.
 - 5. Duties and Responsibilities: It is the duty and responsibility of the Radiation Protection Officer to:
 - a. Coordinate the safe use of the nuclear gauging devices.
 - b. Ensure compliance with pertinent state and Department of Transportation regulations.

- c. Assure that radioactive material possessed under the license conform to the material listed on the license.
- d. Assure that use of the device, particularly in the field, is under the direct supervision of individuals authorized by the license.
- e. Assure that all users wear personnel monitoring equipment, such as film badges or thermoliminescence dosimeters (TLD,) when required.
- f. Assure that gauges are properly secured against unauthorized removal at all times when they are not in use.
- g. Serve as a point of contact and in case of emergency (i.e., gauge damage, in the field, fire, theft, etc.) give assistance to assure that proper authorities, such as NRC, Local Police, State Health Department, etc., are promptly notified in case of accident or damage to gauges.
- h. Assure that the terms and conditions of the license such as periodic leak tests, are met, and that the required records, such as personnel exposure records, leak test records, etc., are periodically reviewed for compliance with applicable state requirements and license conditions.

ITEM 8 - FACILITIES AND EQUIPMENT:

The storage area shall be:

- a. A locked area.
- b. An area with access limited to, or under the control of, individuals named in the license application.
- c. An area located so that persons do not occupy or frequent the area near the meter.
- d. An area posted with a CAUTION RADIOACTIVE MATERIALS SIGN.
- e. Or temporary field locations with the DOR stored in its shipping container in a secured area. The immediate area surrounding the DOR will be posted with a "CAUTION RADIO-ACTIVE MATERIALS" SIGN.



The Haller Testing Laboratories, Inc.

Methods of carriage shall be:

- a. The unit will be transported at all times in the manufacturer's shipping container meeting all applicable D.O.T., Title 49 and IATA regulations for transportation of Radioactive Materials.
- For local transport the unit will be located in the vehicle so as to be as far from occupants as possible

 a minimum of three feet from the outside of the container.
- c. Shipments to the manufacturer will be via motor freight lines, or air cargo, use the authorized and properly labeled shipping container.

ITEM 13 - WASTE DISPOSAL:

The instrument manufacturer, Seaman Nuclear Corporation, will provide for removal of the sealed source and appropriate disposition upon return of the instrument for that purpose.

ATTACHMENT S

Laller

The Haller Testing Laboratories, Inc.

May 17, 1989

336 Leland Avenue P.O. Box 46 Plainfield, New Jersey 07061 (201) 756-4637 (212) 233-2360

State of New Jersey Department of Environmental Protection Division of Environmental Quality Trenton, New Jersey 08625-0415

Attention: William P. Csaszar

Radiation Physicist

REFERENCE: RADIOACTIVE MATERIALS LICENSE,

NO. NJSL-10130

Gentlemen:

This is to bring to your attention a discrepancy in the issuance of Radioactive Materials License, concerning the number of sources we

One moisture/density gauge of Seaman Nuclear Corp., (Model C-75 BP) has only 5 millicuries of radioactive material. Since we are planning to possess more than one gauge in the near future, we requested License for a total of 25 millicuries, so as to account for 5 gauges.

We therefore request that you change Item 8 in the License to read as "5 sources not to exceed a total of 25 millicuries".

Thank you for your earliest attention to this matter.

Should you have any questions, please call our office.

Very truly yours,

THE HALLER TESTING LABORATORIES, INC.

RWH/cgf

Certified Mail

RECEIVED

MAY 18 1989

STATE OF YEN JERSEY SUBTRUCTION DEPARTMENT OF ENVIRONMENTAL PROTECTION

ATTACHMENT

ATTACHMENT T

Haller

The Haller Testing Laboratories, Inc.

336 Leland Avenue P.O. Box 46 Plainfield. New Jersey 07061 (201) 756-4637 (212) 233-2360

June 19, 1989

State of New Jersey
Department of Environmental Protection
Division of Environmental Quality
CN 415
Trenton, New Jersey 08625-0415

Attention: Mr. John Feeney

License Administrator

Radioactive Materials Section

Gentlemen:

This is in response to your letter dated May 23, 1989, requesting additional information concerning the storage of our radioactive materials equipment. Enclosed please find a diagram of where these units will be stored.

We understand that the storage area shall be locked, with access limited to, or under the control of, individuals named in the license application. We also understand that proper signs should be posted at the entrance and inside the storage room.

Should you need any additional information, please contact this office.

Very truly yours,

THE HALLER TESTING LABORATORIES, INC.

Roger W. Haller, President


RWH/cgf

RECEIVED

JUN 22 1989

STATE OF NEW JERSEY
JEENU OF ENVIRONMENTAL RADIATION
JEPARTMENT OF ENVIRONMENTAL PROTECTION

ATTACHMENT



ATTACHMENT U

Laller

The Haller Testing Laboratories, Inc.

336 Leland Avenue P.O. Box 46 Plainfield, New Jersey 07061 (201) 756-4637 (212) 233-2360

December 4, 1989

State of New Jersey Department of Environmental Protection Division of Environmental Quality Trenton, New Jersey 08625-0415

Attention: William P. Csaszar

Radiation Physicist

REFERENCE:

RADIOACTIVE MATERIALS LICENSE

NO. NJSL-10130

Gentlemen:

This is to advise you concerning our recent acquistion of two (2) Nuclear Moisture-Density Guages from Seaman Nuclear Corporation, Oak Creek, Wisconsin. This brings the total number of gauges in our possession to three (3). As you may be aware of, we are permitted, by NJDEP Radioactive Materials License No. NJSL-10130, to have up to five (5) guages (not exceeding a total of 25 millicuries) in our possession.

The model numbers and serial numbers of the two (2) gauges that were recently acquired, were as follows:

- 1) Model No. C-75 Meter S. No. 7276
- Model No. C-75 Meter S. No. 7324

Enclosed, please find copies of Leak Test Certificates, for the above meters, for your use.

Should you have any questions or need additional information, please contact this office.

THE HALLER TESTING LABORATORIES, INC.

V. R. Kancharla, Materials Engineer VRK/rw

LEAK TEST CERTIFICATE

MODEL C-200 DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi	MODEL R-75 MOISTURE METER Radium 226 - 4.5 mCi
MODEL C-200 DENSITY METER Radium 226 - 4.5 mCi	HODEL RM-75 MOISTURE METER Americium 241 - 40 mCi
MODEL C-100 DENSITY METER Radium 226 - 4.5 mCi	MODEL R-50 MOISTURE METER Americium 241 - 40 mCi
X Radium 226 - 4.5 mCi	MODEL C-75BP DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi
METER S/N	DATE SAMPLE COLLECTED 10/30/89
CUSTOMER HALLER TESTING LABORATORIES	PERSON COLLECTING SAMPLE V.R.KANCHARLA
ADDRESS P.O.Box 46	
Plainfield, NJ 07061	DATE SAMPLE ANALYZED11/9/89
	PERSON ANALYZING SAMPLE BRIAN K. WAX
SEAJAN NUCLEAR CORPORATION attests that on have been taken on all external joints of the Analysis of all Smear Test Samples performed Instrumentation described under Nuclear Region 12-09160-01 and State of Illinois License No.	d by HEALTH PHYSICS ASSOCIATES, LTD.
Results: Less than 0.0001 microcuries	
SEAMAN NUCLEAR CORPORATION	NON 57 7888
	· M 2 2

SEAMAN NUCLEAR

ATTACHMENT

LEAK TEST CERTIFICATE

MODEL C-200 DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi	MODEL R-75 MOISTURE METER Radium 226 - 4.5 mCi
MODEL C-200 DENSITY METER Radium 226 - 4.5 mCi	MODEL RM-75 MOISTURE METER Americium 241 - 40 mCi
MODEL C-100 DENSITY METER Radium 226 - 4.5 mCi	MODEL R-50 MOISTURE METER Americium 241 - 40 mCi
X MODEL C-75 DENSITY METER Radium 226 - 4.5 mCi	MODEL C-75BP DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi
METER S/N	DATE SAMPLE COLLECTED 10/31/89
CUSTOMER HALLER TESTING LABORATORIES	PERSON COLLECTING SAMPLE V.R.KANCHARLE
ADDRESS P.O.Box 46	
Plainfield, NJ 07061	DATE SAMPLE ANALYZED 11/9/89
	PERSON ANALYZING SAMPLE BRIAN K. WAX
SEATIAN NUCLEAR CORPURATION attests that on have been taken on all external joints of	the above date, leak test smears the Nuclear Meter.
Analysis of all Smear Test Samples perform Instrumentation described under Nuclear Res 12-09160-01 and State of Illinois License	OU! Story Commission !: H. !
Results: <u>Less than 0.0001</u> microcuries	
SEAMAN NUCLEAR CORPORATION	aQ.
scott Acame	NOV 21 1989
Scott Seaman Radiation Safety Officer	401

SEAMAN NUCLEAR

ATTACHMENT ______3

ATTACHMENT V



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY CN 027, TRENTON, NJ 08625



Donald F. Patterson, Assistant Directo Environmental Enforcement

NOTICE OF PROSECUTION

TO: Haller Testing Lab
336 Leland Avenue
P.O. Box 46

Plainfield, New Jersey 07061

Roger Haller, Owner LOG: #R900543 RM

Contact/Phona: (201) 753-4637 Violation Occurred On Premises Known As:

336 Leland Avenue, Plainfield Township, Union County, N.J. ID #10130

The New Jersey Department of Environmental Protection (the "Department") has determined by investigation(s) made pursuant to the provisions of the Radiation Protection Act (the "Act") N.J.S.A. 26:2D-1 et seq. that on November 16 and 26, 1990, you violated the New Jersey Administrative Code, Title 7, Chapter 28, Subchapter(s) & Section(s) as follows:

- 2.1 The investigation disclosed that you used and/or permitted others to use sources of ionizing radiation in a manner other than prescribed in this Chapter. Specifically, you permitted Mr. William Dease to utilize the Moisture Density Gauge (model No. C-75 S/N7272) when he was not authorized to do so pursuant to Condition 10 of your state license.
- 9.4(a) The investigation disclosed that you failed to conduct leak tests of sealed sources at intervals not longer than six months. Specifically, leak test results for April, 1990 were unavailable for the sealed sources contained in the moisture density gauges.
- 4.15(a)3 The investigation disclosed that you failed to perform tests of radiation detection and monitoring instruments as the Department deemed appropriate or necessary for the administration of this Subchapter. Specifically, Condition 16A of your state license requires that survey instrument calibrations must be conducted at six month intervals. Calibration surveys have not been conducted since May 1, 1987.

MOTICE IS HEREBY GIVEN that pursuant to N.J.S.A. 26:2D-13, any person who violates the provisions of the Act, or any rule, regulation or order promulgated or issued pursuant thereto shall be liable to a penalty of up to \$2,500 for each offense. If the violation is of a continuing nature, each day during which it continues shall constitute an additional, separate and distinct offense.

Pursuant to N.J.S.A. 26:20-13, the Department's offer of settlement for the violation(s) listed above is \$1,350.00.

SETTLEMENT: The above offer of settlement must be paid on or before January 12, 1990 by check or money order payable to the Treasurer, State of New Jersey. Remit payment with the white copy of the enclosed invoice to: New Jersey Department of Environmental Protection, Bureau of Revenue, CN 402, Trenton, New Jersey 08625-0402.

teach in the second

ATTACHMENT

Westian Testing Nab. Seg 48000543 DM Page 1

If you fall to carear the Department's affect of sattlement on the fast to comply with the magniference of M.J.A.C. Tarely at each, the moster will be referred to the Office of the Attorner General with the resummendation to make interestive relief and administration as arouted by low.

To theme and the quastions, ambient de. Gail hai ha a haditation Reformation Managam, at 1500s gallings,

Date I: Detember 11. 120.

A THE RESERVE OF THE PROPERTY OF THE PROPERTY

PROGRAM LADIATIN GERGIPING MAIN

DEC 1 3 1993

DEPT. OF ENVISOR, POOT FOR DIV. COLUMB ONL COLUMB ON

Pageof	Page	of
--------	------	----

NEW JERSEY STATE DEPARTMENT OF ENVIRONMENTAL PROTECTION FIELD RECORD OF VIOLATIONS

77702 .	Violation Report Form
VIOLA DATE	11-16-90 1126/90 TIME AT SITE 730 P.m. 10100 P.M. NISI NO 163 13
	11-16-90 1126/90 TIME AT SITE 730 p.m. 10100 p.m. NJSL NO. 10130
1	to to
	// 10
EC A	
;	MAILING ADDRESS 336 Leland Guerra POR
!	MAILING ADDRESS 336 Leland Guence P.O. Box 46 Plen Golf 07 Street City Zip Code
	PHONE NUMBER 20 1- 753-4637
; 	
_	TYPE OF OWNERSHIP NAME OF OWNER, PARTNERS, OFFICERS, OFFICIALS
/IOLATION	Individual X Region for the Control of the Control
LAT	Partnership (911)16 1
VIO	Corporation Municipal
	(type)
	Hospital
.	
	PERSONS INTERVIEWED/COMMENTS/PHONE # Region And Color
	TERSONS INTERVIEWED/COMMENTS/PHONE # Rage An Clea
В	LOCATION ADDITION ADDITION AND ADDITION AND ADDITIONAL ADDITION AND ADDITIONAL ADDITIONA
<u>-B</u> [Street Municipality County
á í	DEPARTMENT Laboratory LOT NO. BLOCK NO.
K C	Name of Street 336 LELANT AMERICA Placeful
[2]	Name of Street Street
	City /
	THE TOTAL TO TITLE T
- 1	Code # Master List 1. Section of NJAC \mathcal{Z} . /
	Leasity Gauge (Model No. C-75 S/N7272) who was not cuthernell as per Cendition 10 of NOVELLAND AND ALLES A
	X TO WILLIAM DEASE TO WHILE the Mouture
	Pensity Gauge (Model No. C-75 S/N7272) Who wish
a	cuthorized as per condition 10 of your state licinis
	1) Agree State Cecinis
N 1	A. v.
	ECOMMENDED ACTION
<u>,</u>	Msice NOP # 750°0
	1290543RM Jutali 1850,50

ADDITIONAL VIOLATIONS	• • • • • • • • • • • • • • • • • • • •
2. Code # Master List /25	2. Section of NJAC $9.4a$
Leak test results for april	1990 men not realable
for the sealed somes cont	acced in the moisture
Leak test results for april for the sealed sources cont directly gauges (secul No:	s. 7/84, 7276, 7324)
RECOMMENDED ACTION Walle NOP 30	
	<u> </u>
3. Code # Master List	3. Section of NJAC 4. 15(c.) 3
contrary to condition 16 H	Jumin Stale King so
survey exstruments call	aton were not conducto.
Inscriment for not well enterated.	Lucie, his out eince May 1, 1987.
this is a lepton ble	elation
RECOMMENDED ACTION (£200 A) OP	= 1 20
16-200 NOP	_300 =
Reviewed by Inspection Inspection	ector Millian Plant
	Signature
// 28/90 /Date/	Print Name & Title
/Date/	Print Name & Title
	11/3-2/9-
The second of th	/ Date/
S ORU 1/1990 Check Here If	
Check Here If	E Continued On Additional Page

OF ENVIRON, PROTECTION OF ENVIRON, GUAL.

ATTACHMENT V

ATTACHMENT W

-

* * * *

÷ • • •



State of New Jersey Department of Environmental Protection and Energy

Environmental Safety, Health and Analytical Programs

CN 415 Trenton, NI 08625-0415 Tel. # 609-937-2132

Scott A. Weiner Commissioner

Gerald P. Nicholls, Ph.D.

February 21, 1992

Mr. Roger Haller Haller Testing Laboratories 336 Leland Avenue, PO Box 46 Plainfield, New Jersey 07061

Dear Mr. Haller:

SUBJECT: NOTICE OF LICENSE EXPIRATION

LICENSE NUMBER NJSL-10130 EXPIRATION DATE - 5/1/91

Our records indicate that your New Jersey State Radioactive Materials License has expired or will expire on the date shown

If you do not wish to renew your license, complete the enclosed "Certificate - Disposition of Radioactive Materials" form

If you desire to continue your radioactive material(s) program, an application for renewal of the license should be filed with this office in a timely manner. According to NJAC 7:28-4.11, an existing license shall not expire until the Department has acted on the renewal application provided it has been filed in proper form not less than 30 days prior to expiration of the existing

In submitting the "Application for Radioactive Materials License", all items must be completed with no reference to previously filed documents. If you wish to support an application through information contained in other documents, you may submit

Sincerely,

John Feeney, License Administrator Radioactive Materials Section

Enclosures: (3)

ATTACHMENT W

ATTACHMENT X

NEW JERSEY STATE DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF ENVIRONMENTAL RADIATION CN415, Trenton, New Jersey 08625

· 其本學也是在國際的人類的學術也可以與我們有一個無限不同學的的一個教育的自然的教育也可能能到了本本。其中

APPLICATION FOR RADIOACTIVE MATERIALS LICENSE

UCTIONS - Complete all items in the application whether for a renewal or an initial cation. Do not make reference to documents previously filed with the State or any er government agency. Read each item carefully and answer as completely as possible. ttachments are to be appropriately labeled (e.g. the first attachment for Item 6 d read 6A, the second 6B, the third 6C, etc.) make a copy of the completed application all attachments for your records. Mail the original to: New Jersey State Department vironmental Protection, Bureau of Environmental Radiation, Radioactive Materials on, CN415, Trenton, New Jersey 08625. The information submitted in this application become part of the terms and conditions of the license. Upon approval of the \underline{l} ication, the applicant will receive a radioactive material license issued pursuant to itory and implementing regulatory authority. This license will be subject to all cable rules, regulations and orders of all appropriate regulatory agencies now or eafter in effect and to any conditions specified in the license.

FACILITY (Institution, Firm, Hospital, Person, etc.)

NAME

THE HALLER TESTING LABORATORIES, INC.

ADDRESS

336 LELAND AVENUE, P.O. BOX 46

CITY, COUNTY, ZIP CODE

PLAINFIELD, NJ

07061

UNION COUNTY

PHONE NUMBER

908-756-4637

DEPARTMENT(S) THAT WILL STORE AND/OR USE THE RADIOACTIVE MATERIAL (if more space is needed, include as Attachment 2A, 2B, etc.)

NAME

INSPECTION DIVISION

ADDRESS

THE HALLER TESTING LABORATORIES, INC.

07061

336 LELAND AVENUE, P.O. BOX 46

CITY, COUNTY, ZIP CODE

PLAINFIELD, NJ

UNION COUNTY

PHONE NUMBER

908-756-4637

NAME

ADDRESS

CITY, COUNTY, ZIP CODE

NAME

ADDRESS

Arones

CITY, COUNTY, ZIP CODE

Have you ever been denied a license for use of radioactive material by any federal or state jurisdiction or has such a license ever been revoked or suspended? YES (If yes, describe details on additional sheet) If this is a renewal, please indicate previous license number. Previous License Number and Issuing Agency: License No. 10130

ATTACHMENT



RADIOACTIVE MATERIAL USER(S). (Name and title of individual(s) who will use, directly supervise or approve the use of radioactive materials. For human use of the radioactive material, the licensed user is an individual who will possess or use radioactive substances, prescribe dosage, administer, or arrange for the administration of said substances to human beings or irradiate, or arrange for the irradiation of human beings by said substances. List training and experience in Item 6)
A. ROGER W. HALLER, PRESIDENT
B. NICHOLAS J. SUGAR /
c. HENRY BEJGROWICZ.
D. LOUIS ESPOSITO /
E. SYED HASSAN /
F.
PARTATION CAFETY RAIL OF COMMENT
RADIATION SAFETY. Radiation Safety Officer (Name and title of person designated as radiation safety officer. List training and experience in Item 6.)
Name NICHOLAS J. SUGARTitle RSO
If this facility has a Radiation Safety Committee or Isotope Committee, describe the committee's responsibilities, duties, membership and meeting frequency (Label this Attachment 5)
ATTACHMENTS ENCLOSED NOT APPLICABLE
TRAINING AND EXPERIENCE. Delineate the training and experience of individuals listed in Item 4 by inclusion of a resume and a summary of training for each individual. For applications for Human-Use licenses, physicians in lieu of documentation of training and experience, may submit proof of certification by an appropriate board or proof of certification as Fellow in an appropriate College or Faculty. (Label these items for each individual as Attachment 6A, 6B, 6C, etc.)
X ATTACHMENTS ENCLOSED
RADIATION PROTECTION PROGRAM. Describe the radiation protection program at the facility. Include copies of documents relating to radiation protection procedures and control measures (e.g. emergency procedures, spill control, surveys performed and their frequency, etc.) (Label these Attachments 7A, 7B, 7C, etc.)
ATTACHMENTS ENCLOSED
FACILITIES AND EQUIPMENT. Describe laboratory facilities, remote handling equipment, storage containers, shielding, fume hoods, etc. Include sketches of facilities. (Label these Attachments 8A, 8B, 8C, etc.)
X ATTACHMENTS ENCLOSED
PERSONNEL MONITORING PROCEDURES. Describe the methods used for personnel dosimetry including type of dosimeter, frequency of changing, methods for calibration and processing or the name of the supplier. (Label these Attachments 9A, 9B, 9C, etc.)
ATTACHMENT ATTACHMENT ATTACHMENT ATTACHMENT

ATTACHMENT

ACC CALLES TO THE SERVICE TH

COMPLETE THIS SECTION FOR ALL MIN-HUMAN I'SE RADIUMUCLIDES TO BE INCLUDED IN THE LICENSE. (IF THE NUMBER OF MUCLIDES EXCEEDS THIS SPACE AVAILABLE 'IN ONE SHEET, MAKE COPIES OF THIS SHEET AND COMPLETE.

ladio- nuclide	Chemical and/or Physical Form	Maximum Amount (mC1)	List Users as Identified 18 Item 6 for each Radio- medide (e.g. 6A, 4B, 4D) through 6J)	Describe the purpose for which this radioactive exterial will be used.
RADIU	226 Be		NOT TO EXCEED	CONSTRUCTION SITES IN N.J.
			25 MILLICURIES	THE STILL IN N.J.
				SEAMAN NUCLEAR CORPORATION
		<u>:</u>	i	MODEL C-75BP
		:		DENSITY/MOISTURE GAUGE
		<u>i</u>		
		<u> </u>		
<u> </u>				
<u>!</u>		<u> </u>		
				
!		<u> </u>		

COMPLETE THIS SECTION FOR HUMAN-USE APPLICATION OF RADIGACTIVE MATERIALS. For the Users identified in Item 4 (e.g. -A. 48. -C. etc.), cehck the appropriate HUMAN-USE groups (as per NIAC 7:15--.7) for which licensing is desired. (If the number of users exceeds the space available on one sheet, make copies of this sheet and complete.)

HUPLAN - USE GROUPS					
	::	:::	18		
	;	ı		Vī	
				<u>-</u>	
	:			<u> </u>	
		NOT ADDITIONS			
!	:	HOT APPLICABL	Ł	<u> </u>	
	:			<u>.</u>	
				:	
:	:			<u> </u>	
·	i	:		<u> </u>	
) .		<u>!</u>	
	;				
!		·	ATTAC	<u> </u>	
			HUMAN - USE GROUPS	HUMAN - USE GROUPS	

INSTRUM Meter/Analyzer (Make & Model)	MENT Probe/Detector (Make & Model)	NO. OF UNITS	RADIATION DETECTED (α, β, γ)	SENSITIVITY RANGE (mR/hr, cpm) mR/hr.	USE: M-Monitor S-Survey Q-Measure	CALIBRATI FREQUENCY Q-Quarter S-Semi-Annu
SOLAR ELECTRONICS INTL. MONITOR 4 SURVEY METER	MONITOR 4 S/N - N/A	1	ALPHA BETA GAMMA X-RAY	0-0.5 0-5.0 0-50. (3 ranges)	MONITOR SURVEY	A-Annual SEMI-ANNUAL
						· · · · · · · · · · · · · · · · · · ·
		:				The state of the s
de de la companya de						中国民党部、公司 医格尔氏管管管管管管管管管管管

INSTRUMENTATION CALIBRATION. Describe the method and frequency of calibration of each instrument listed in Item 11. If a consultant is employed to perform this service, specify the company's name and address. (Label these Attachments 12A, 12B, 12C, etc.) SEMI-ANNUAL CALIBRATION BY CERTIFIED TESTING LABORATORIES 2623 ROBERTS AVENUE, BRONX, NY 10461

ATTACHMENTS ENCLOSED NO

WASTE DISPOSAL. Describe the methods which will be used for disposing of radioactive waste and estimate the type and amount of activity involved for each method. If a commercial waste disposal service is employed, give the company's name and address.

ATTACHMENTS ENCLOSED ATTACHMENT ENCLOSED

F, CERTIFY UNDER PENALTY OF LAW THAT THE INFORMATION PROVIDED IN THIS DOCUMENT IS TRUE, ACCURATE AND COMPLETE. I AM AWARE THAT THERE ARE SIGNIFICANT CIVIL AND CRIMINAL PENALTIES FOR SUBMITTING FALSE, INACCURATE OR INCOMPLETE INFORMATION, INCLUDING FINES AND/OR IMPRISONMENT.

ROGER W. HALLER

Applicant Named in Item 1

Signature of Certifying Official

MARCH 10, 1992

Date

ROGER W. HALLER, PRESIDENT

Name and Title of Certifying Official

ITEM 7 - RADIATION PROTECTION PROGRAM:

- Maintenance: All instrument and source maintenance, normal radiation surveys, and leak testing will be performed by the manufacturer, the Seaman Nuclear Corporation. Work will be performed at their facilities under warranty and/or extended service contracts.
- Accessibility of Use: In addition to the above noted facilities procedures, except while in locked storage the instrument shall remain under the direct supervision of the individual user(s) named in the license, or Radiation Protection Officer.
- 3. Emergency Procedures: The operator will be familiar with and have a copy of his emergency procedures in his possession whenever the instrument is used. These procedures will include appropriate sections of the state regulations regarding reporting of accidents. The following will also be included:
 - a. For accidents in minor damage to the instrument housing, the unit will be returned to the factory for repair.
 - b. For accidents resulting in serious damage to the instrument, such that the base is broken and the source or its holder may be damaged:
 - 1. Seal off and protect the immediate area.
 - Notify local and/or state authorities so that a survey of the site can be made before the area or instrument are disturbed.
 - c. To enable reporting and assistance with accidents, the emergency procedures checklist will include phone numbers for state and local health departments and the Seaman Nuclear Corporation.
 - 4. Personnel Protection: All users shall be provided with film badge type dosimeters to be worn when handling or using the instrument. Authorized personnel shall see to it that other persons are kept away from the instrument during use, transportation, or storage.
 - 5. Duties and Responsibilities: It is the duty and responsibility of the Radiation Protection Officer to:
 - a. Coordinate the safe use of the nuclear gauging devices.
 - b. Ensure compliance with pertinent state and Department of Transportation regulations.


cense conform to the material isted on the license.

- d. Assure that use of the device, particularly in the field, is under the direct supervision of individuals authorized by the license.
- e. Assure that all users wear personnel monitoring equipment, such as film badges or thermoliminescence dosimeters (TLD,) when required.
- f. Assure that gauges are properly secured against unauthorized removal at all times when they are not in use.
- g. Serve as a point of contact and in case of emergency (i.e., gauge damage, in the field, fire, theft, etc.) give assistance to assure that proper authorities, such as NRC, Local Police, State Health Department, etc., are promptly notified in case of accident or damage to gauges.
- h. Assure that the terms and conditions of the license such as periodic leak tests, are met, and that the required records, such as personnel exposure records, leak test records, etc., are periodically reviewed for compliance with applicable state requirements and license conditions.

ITEM 8 - FACILITIES AND EQUIPMENT:

The storage area shall be:

- a. A locked area.
- b. An area with access limited to, or under the control of, individuals named in the license application.
- c. An area located so that persons do not occupy or frequent the area mear the meter.
- d. An area posted with a CAUTION RADIOACTIVE MATERIALS SIGN.
- e. Or temporary field locations with the DOR stored in its shipping container in a secured area. The immediate area surrounding the DOR will be posted with a "CAUTION RADIO-ACTIVE MATERIALS" SIGN.



Methods of carriage shall be:

- a. The unit will be transported at all times in the manufacturer's shipping container meeting all applicable D.O.T., Title 49 and IATA regulations for transportation of Radioactive Materials.
- b. For local transport the unit will be located in the vehicle so as to be as far from occupants as possible - a minimum of three feet from the outside of the container.
- C. Shipments to the manufacturer will be via motor freight lines, or air cargo, use the authorized and properly labeled shipping container.

ITEM 13 - WASTE DISPOSAL:

The instrument manufacturer, Seaman Nuclear Corporation, will provide for removal of the sealed source and appropriate disposition upon return of the instrument for that purpose.

THE HALLER TESTING LABORATORIES, INC.

33: LELAND AVENU . O BOX 4: TEL. 201 - . +631 PLAINFIELD, NLW JERSEY 07061

DIVISION OF ENVIRONMENTAL QUALITY	RE:	RADIOACTIVE	* * * * * * * * * * * * * * * * * * *
		LICENSE NO.	NJSL-10130
CN 415, TRENTON,NJ 08625-0415	•	LEAK TEST CE	RTIFICATE
ATT: MR. WILLIAM P. CSASZAR			
WE TRANSMIT THE FOLLOWING:			
X ENCLOSED UNDER SEPARATE COVER	ORIGIN	AL TRACING	PRINT COPIES
SOIL SAMPLES SOIL SAMPLES & RE	OCK CORES	PRELIM	AINARY FIELD LOGS
COPT COPY OF LEAK TEST CERTIFICATE FOR ME			
SOIL AND ROCK SAMPLES ARE RETAINED BY YOUR WISHES IN DISPOSING OF THE SAMPI	US FOR 30 D	AYS ONLY, PL	EASE ADVISE AS TO
TOOK WISHES IN DISPOSING OF THE SAMPI	LES.	-	
_	ST SPEC	CIAL DELIVERY	MESSENGER
VIA: X FIRST CLASS MAIL PARCEL POS			

BY: V. REDDY KANCHARLA MATERIALS ENGINEER

CERTIFICATE

	,
MODEL C-200 DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi MODEL C-200 DENSITY METER Radium 226 - 4.5 mCi MODEL C-100 DENSITY METER Radium 226 - 4.5 mCi MODEL C-75 DENSITY METER Radium 226 - 4.5 mCi	MODEL R-75 MOISTURE METER Radium 226 - 4.5 mCi MODEL RM-75 MOISTURE METER Americium 241 - 40 mCi MODEL R-50 MOISTURE METER Americium 241 - 40 mCi MODEL C-75BP DENSITY METER Americium 241 - 40 mCi Cesium 137 - 8 mCi
ETER S/N 7184	DATE SAMPLE COLLECTED 5-15-89
THE HALLER TESTING LABS., INC. 336 Leland Avenue	PERSON COLLECTING SAMPLE V.R. KANCHARLA
ADDRESS P.O. Box 46	DATE SAMPLE ANALYZED 5-25-89
Plainfield, NJ 07061	PERSON ANALYZING SAMPLE J.R. CANHAM
EAMAN NUCLEAR CORPURATION attests that on have been taken on all external joints of analysis of all Smear Test Samples perform instrumentation described under Nuclear Results: Less than 0.0001 microcuries	ed by HEALTH PHYSICS ASSOCIATES, LTD. gulatory Commission License Number Number IL-00-244-01.
Scott Seaman Radiation Safety Officer	JUN 2 1989

SEAMAN NUCLEAR

7315 So First Street

Oak Creek Wisconsin-53154 U.S.A. . (414) 752-5100

ATTACHMENT Y



State of New Jersey Department of Environmental Protection and Energy Division of Environmental Safety. Health and Analytical Programs CN 415 Trenton, NJ 08625-0415

Scott A. Weiner Commissioner

Gerald P. Nicholls, Ph.D. Director

November 16, 1992

Roger Haller
HALLER TESTING LABORATORIES
336 Leland Avenue
P.O. Box 46
Plainfield, New Jersey 07061

Dear Mr. Haller:

Subject: Inspection Report

This letter is in reference to the inspection conducted on November 13, 1992 by William Csaszar of the Department of Environmental Protection and Energy's Bureau of Environmental Radiation of activities authorized by New Jersey State Radioactive Materials License 10130 and to the discussion of the inspection findings with you and Ms. Marilyn Matthews at the conclusion of the inspection.

The inspection was an examination of activities conducted under your license as they relate to radiation safety and compliance with NJSA Title 26:2D the Radiation Protection Act, NJAC 7:28 the Radiation Protection Code and to conditions of your State Radioactive Materials License.

During the discussions of our findings at the conclusion of the inspection, our inspector informed you and Ms. Matthews that the storage container holding the 3 density gauges will be sealed by our Department and declared in storage. Permission to remove the seal or dispose of the devices must be obtained from the Department.

No reply to this report is required. If you should have any questions concerning this inspection or any related matter, please contact this office at 609-987-2132.

Sincerely,


John Feeney, License Administrator Bureau of Environmental Radiation

c: Marilyn Matthews

ATTACHMENT \(\frac{1}{2}\)

ATTACHMENT Z







Donald F. Patterson Assistant Director

ADMINISTRATIVE ORDER

TO: Haller Testing Labs
336 Leland Avenue, P.O. Box 46
Plainfield, New Jersey 07061
Roger Haller, Owner
Log: #R930017 RM

Contact/Phone: (201) 753-4637 Violation Occurred On Premises Known As:

336 Leland Avenue, P.O. Box 46, Plainfield City, Union County, N.J., ID #10130

The New Jersey State Department of Environmental Protection and Energy (the "Department") has determined by investigation(s) made pursuant to the provisions of the Radiation Protection Act (the "Act") N.J.S.A. 26:2D-1 et seq. that on December 21, 1992, you violated the New Jersey Administrative Code, Title 7, Chapter 28, Radiation Protection, Subchapter and Section as follows:

8.3(a) - The investigation disclosed that you failed to maintain an accurate accounting for all radioactive materials. Specifically, a Troxler Ra226 Be moisture density gauge was discovered stored at your facility without your knowledge or records indicating when the device was received.

YOU ARE HEREBY ORDERED TO IMMEDIATELY cease violation of said Subchapter(s) and Section(s) on the premises owned, leased, operated or maintained by you.

IN ADDITION, you are required to provide written notification to the Bureau of Environmental Radiation, CN 415, Trenton, New Jersey 08625 on or before February 8, 1993, identifying the steps you have taken to cease the above violations of the New Jersey Administrative Code.

NOTICE IS HEREBY GIVEN that pursuant to N.J.S.A. 26:2D-13, any person who violates the provisions of the Act, or any rule, regulation or order promulgated or issued pursuant thereto shall be liable to a penalty of up to \$2,500 for each offense. If the violation is of a continuing nature, each day during which it continues shall constitute an additional, separate and distinct offense.

If there are any questions, contact Mr. John Feeney, Bureau of Environmental Radiation, at (609)987-2132.

DATED: January 8, 1993

Donald F. Patterson. Assistant Director Air and Environmental Quality Enforcement

PROGRAM: RADIATION CERTIFIED MAIL

ATTACHMENT AA

_

.

.

MEMO TO FILE: BUREAU OF FIELD OPERATIONS - SITE ASSESSMENT

PRE-SAMPLING ASSESSMENT

FACILITY: HALLER TESTING LABORATORIES, INC. DATA: JUNE 9, 1993

LOCATION: 336 LELAND AVENUE PLAINFIELD CITY WEATHER: SUNNY

UNION COUNTY INSPECTOR: MATT COEFER

INSPECTION:

At 10:00, Andy Cyr and myself entered the Haller Testing Laboratories, Inc. site. The adjacent properties were A & F Cutter Corporation to the southeast and Specialty Companies to the The site appeared to extend from Leland Avenue to northwest. Watson Avenue. There were residences adjacent to both sides of the site in the back portion of the property. Two buildings were located on site. The main building was constructed of brick and masonry and was locked. A small building with two garage doors was located 20 feet south of the main building. A gravel driveway covered 75% of the ground surface except for both outer edges of the site along the wooden fence. No drainage discharges were observed at the site and are assumed to have been filled in. 55-gallon drums were located on the rear porch. One drum was full with the label 1,1,1-Trichloroethane and the other was half full with the label hazardous waste. On the north side of the main building was six galvanized steel tubs (8'x 2'x 2'), 2 empty 55gallon drums and one empty 25-gallon drum along the Specialty Companies building's wall. There were three large piles of cement cylinders approximately 12 feet west of the main building. Running along the west side wooden fence were the following: approximately 275-gallon fuel oil above ground storage tank, one empty plastic 55 gallon drum, two trailers, a boat, numerous empty 55-gallon steel drums and a dock made out of wood beams and approximately 32 empty 55-gallon drums. Running along the east side wooden fence and was approximately 30 empty 55-gallon drums and another dock made out of drums and wood. Adjacent to the southwest wall of the small building were two 55-gallon drums and one propane tank. conducted HNu and OVA monitoring around the two buildings, drum locations and numerous other areas of the site and identified no significant readings. Adjacent to the southeast garage door of the small building we encountered readings on the Rad meter of 50 micro R/hr (background was ~20 micro R/hr). Upon the door being opened, we identified a 2.5 foot tall wooden box that had the following two labels: "Special Form Type "A", Radioactive Material Sealed Source, U.S.A. DOT 7A" and "Radioactive Material". Within two feet of the box, the RAD meter indicated a reading of a 1,000 micro R/hr. immediately exited the area. We later identified the item in the box as a Moisture Density Gauge used in asphalt road construction and measuring the moisture of the asphalt for compaction reasons.

ATTACHMENT BB

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF RADIATION PROTECTION 380 SCOTCH ROAD, TRENTON, NEW JERSEY 08628

RADIOACTIVE MATERIALS LICENSE

Pursuant to the New Jersey Radiation Protection Code, and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess and use the radioactive material(s) designated below; and to use such radioactive materials for the purpose(s) and at the place(s) designated below. This license is subject to all applicable rules, regulations, and orders of the State Department of Environmental Protection, now or hereafter in effect, and to any conditions specified below.

LICENSEE		3. License Number
1. Name The Haller Testing	Laboratories	NJSL-10130
2. Address 336 Leland Avenue P.O. Box 46 Plainfield, New Jo	4	4. Expiration Date August 1, 1987 5. Reference Number
Radioactive Materials (element and mass number) .	. Chemical and/or Physical	Form 8. Maximum Quantity Licensee May Possess at Any One Time
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	Sealed source h Amersham Corpor Model RAN, W25	ration 25 million not to exceed

9. Authorized Use:

- A. Radioactive material specified in Items 6, 7 and 8 are to be used in Seaman Nuclear Corp. moisture/density gauge, Model C-75BP, instrument to evaluate moisture and density throughout the State of New Jersey.
- 10. Licensee shall comply with the provisions of the New Jersey Radiation Protection Code.
- 11. Radioactive materials shall be used by or under the supervision of Richard Zaloum, P.E.
- 12. The licensee shall not open sealed sources containing radioactive material specified in Items 7 and 8 of the license.
- 13. A. Sealed sources containing Radium 226 shall be tested for leakage and/or contamination at intervals not to exceed six months.

five meters)

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTION DIVISION OF ENVIRONMENTAL QUALLY BUREAU OF RADIATION PROTECTION 380 Scotch Road, Trenton, New Jersey 08628

Page 2 of 2 Pag

License Number 10130

Amendment No. NEW

RADIOACTIVE MATERIALS LICENSE

Supplementary Sheet

- B. The test shall be capable of detecting the presence of 0.005 microcuries of radioactive material on the test sample. The test sample shall be taken from the sealed source or from the surface of the device in which the sealed source is permanently mounted or stored on which one might expect contamination to
- C. If the test reveals the presence of 0.005 microcuries of removable contamiation, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. Within five days after obtaining results of the test, a report shall be filed with the Department describing the circumstances, the test results and the corrective action taken.
- D. The sealed source specified in Items 7 and 8 of the license shall be tested for leakage and/or contamination by Seaman Nuclear Corporation and/or by persons specifically licensed to perform this service.
- 14. Repair, initial leak test and disposal of sealed source containing radioactive material shall be performed only by the manufacturer or by other persons specifically licensed to perform this service.
- 15. Except as specifically provided otherwise by this license, the licensee may possess and use radioactive material described in Items 6, 7, and 8 of this license only in accordance with statement, representations and procedures contained in application dated June 7, 1984.

For the State of New Jersey Department of Environmental Protection

By Carlon J.

ATTACHMENT BL

DEQ-031

STATE OF NEW JERSEY
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF RADIATION PROTECTION
380 SCOTCH ROAD, TRENTON, NEW JERSEY 08628

RADIOACTIVE MATERIALS LICENSE

Pursuant to the New Jersey Radiation Protection Code, and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess and use the radioactive material(s) designated below; and to use such radioactive materials for the purpose(s) and at the place(s) designated below. This ter in effect, and to any conditions specified below.

•	LICEN	SEE	3. License 1	Number
Name	THE HALLER TES	FING LABORATORIES	N. At	JSL-10130 Amendment #2 mended in its entirety
Address	336 Leland Aver Plainfield, New	nue, P.O. Box 46 V Jersey 07061	4 Expiration At 5. Reference	igust 1, 1987
•			J. Horeren	e Williper
	ve Materials and mass number)	7. Chemical and/or Ph	ysical Form	8. Maximum Quantity Licensee May Possess at Any One Time
	adium 226 eryllium	A. Sealed Sou Amersham C Model RAN	orp.,	A. One source not to exceed 25 millicuries

Authorized Use:

A. Radium 226

Radioactive material specified in Items 6, 7, and 8 are to be used in Seaman Nuclear Corp. moisture/density gauge, Model C-75 BP, instrument to evaluate moisture.

The sealed sources/devices specified in this license shall be used by trained persons and under the supervision of Richard Zaloum, P.E.

The licensee shall not open sealed sources containing radioactive material.

Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months.

A. The test shall be capable of detecting the presence of 0.005 microcuries of removable radioactive material on the test sample. The test sample shall be taken from the sealed source and from the surface of the device in which the sealed source is permanently mounted or stored.

STATE OF NEW JERSEY T 'ARTMENT OF ENVIRONMENTAL PROTE 'ON DIVISION OF ENVIRONMENTAL QUALIT I BUREAU OF RADIATION PROTECTION 380 Scotch Road, Trenton, New Jersey 08628

Page	2	of	_3_	Page
------	---	----	-----	------

RADIOACTIVE MATERIALS LICENSE
Supplementary Sheet

License Nu	unbe	r	L0130
Amendmer	it No) .	2
Amended	in	its	entirety

- B. If the test reveals the presence of 0.005 microcuries of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. Within five days after obtaining results of the test, a report shall be filed with the Department describing the circumstances, the test results and the corrective action taken.
- C. The sealed sources shall be tested for leakage and/or contamination by appropriately trained personnel.
- 3. Repair, initial leak tests and disposal of sealed sources containing radioactive material shall be performed only by the manufacturer or by other persons specifically licensed by New Jersey or the Federal Government to perform this service.
- $\overline{14}$. The licensee shall make the following items available to their staff:
 - A. Copy of the New Jersey Radiation Protection Code.
 - B. Copy of the New Jersey State Radioactive Material License.
- 5. The licensee shall post the following items in an area frequented by employees engaged in the use of licensed materials:
 - A. Notice to Employees BRP-14.
 - B. Appropriate signs and labels in areas and/or containers and equipment in which radiation and/or radioactive material are contained. These postings are to conform to Subchapter 10 of the Code.
- . The following records shall be maintained:
 - A. Survey instrument calibration at intervals not to exceed six months.
 - B. Sealed source leak tests at intervals not to exceed six months. Results are to be reported in microcuries.
 - C. Personnel dosimetry records including but not necessarily limited to name, birthdate, social security number, and prior employment exposure history.
- 17. The Radiation Safety Officer shall be responsible for ensuring that all individuals using the sealed sources/devices in this license are properly trained in the safe use and handling of the sealed sources/devices.

O -	044
u.	U44

?0.

STATE OF NEW JERSEY
'ARTMENT OF ENVIRONMENTAL PROTI ION
DIVISION OF ENVIRONMENTAL QUALIT 1
BUREAU OF RADIATION PROTECTION
380 Scotch Road, Trenton, New Jersey 08628

License Number	10130
Amendment No.	. 2
Amendment 140.	

RADIOACTIVE MATERIALS LICENSE

Supplementary Sheet

Amended in its entirety

The devices/sealed sources specified in this license shall be stored and transported in a manner to ensure against unauthorized handling, possession and removal. These devices/sealed sources shall be stored and transported in a manner optimizing the distance between the device and personnel.

19. Licensee shall comply with the provisions of the New Jersey Radiation Protection Code.

Except as specifically provided by this license, the licensee may possess and use radioactive material described in this license only in accordance with statements, representations and procedures contained in application dated June 7, 1984 and signed by Roger W. Haller, President.

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF RADIATION PROTECTION CN 411, TRENTON, NEW JERSEY 08625

RADIOACTIVE MATERIALS LICENSE

Pursuant to the New Jersey Radiation Protection Code, and in reliance on statements and representations heretofore made by licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess and use the radioactive material(s) designated below; and to use such radioactive materials for the purpose(s) and at the place(s) designated below. This icense is subject to all applicable rules, regulations, and orders of the State Department of Environmental Protection, now or hereby in effect, and to any conditions specified below.

	LICENSEE	3. License N	
THE HALLER	TESTING LABORATORIES	ľ	L-10130 Amendment #3 nded in its entirety
	Avenue, P.O. Box 46 , New Jersey 07061	4. Expiration May	on Date 1, 1991
rainiteld	, New Jersey 07061	5. Referenc	e Number
Radioactive Materials (element and mass number	7. Chemical and/or Ph	nysical Form	Maximum Quantity Licensee May Possess at Any One Time

A. Radium 226

Radioactive material specified in Items 6, 7, and 8 are to be used in Seaman Nuclear Corp. moisture/density gauge, Model C-75 BP, instrument to evaluate moisture.

The sealed sources/devices specified in this license shall be used by trained persons and under the supervision of Roger W. Haller, President, V. Reddy Kancharla, Henry Bejgrowicz, Louis Esposito and Syed Hassan.

The licensee shall not open sealed sources containing radioactive material.

Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months.

A. The test shall be capable of detecting the presence of 0.005 microcuries of removable radioactive material on the test sample. The test sample shall be taken from the sealed source and from the surface of the device in which the sealed source is permanently mounted or stored.

m DEQ- 044

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY BUREAU OF RADIATION PROTECTION CN 411, Trenton, New Jersey 08625

Page 2 of 3 Pages

License Number 10/30Amendment No. 3

RADIOACTIVE MATERIALS LICENSE

Supplementary Sheet

- B. If the test reveals the presence of 0.005 microcuries of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. Within five days after obtaining results of the test, a report shall be filed with the Department describing the circumstances, the test results and the corrective action taken.
- C. The sealed sources shall be tested for leakage and/or contamination by appropriately trained personnel.
- Repair, initial leak tests and disposal of sealed sources containing radioactive material shall be performed only by the manufacturer or by other persons specifically licensed by New Jersey or the Federal Government to perform this service.

The licensee shall make the following items available to their staff:

- A. Copy of the New Jersey Radiation Protection Code.
- B. Copy of the New Jersey State Radioactive Material License.

The licensee shall post the following items in an area frequented by employees engaged in the use of licensed materials:

- A. Notice to Employees BRP-14.
- B. Appropriate signs and labels in areas and/or containers and equipment in which radiation and/or radioactive material are contained. These postings are to conform to Subchapter 10 of the Code.

The following records shall be maintained:

- A. Survey instrument calibration at intervals not to exceed six months.
- B. Sealed source leak tests at intervals not to exceed six months. Results are to be reported in microcuries.
- C. Personnel dosimetry records including but not necessarily limited to name, birthdate, social security number, and prior employment exposure history.
- The Radiation Safety Officer shall be responsible for ensuring that all individuals using the sealed sources/devices in this license are properly trained in the safe use and handling of the sealed sources/devices.

EQ-044

STATE OF NEW JERSEY

ATMENT OF ENVIRONMENTAL PROTECT

DIVISION OF ENVIRONMENTAL QUALITY

BUREAU OF RADIATION PROTECTION

CN 411, Trenton, New Jersey 08625

Page	3	oſ	3	.Pages
------	---	----	---	--------

License Number 10/30

RADIOACTIVE MATERIALS LICENSE

Amendment No. __3

Supplementary Sheet

The devices/sealed sources specified in this license shall be stored and transported in a manner to ensure against unauthorized handling, possession and removal. These devices/sealed sources shall be stored and transported in a manner optimizing the distance between the device and personnel.

Licensee shall comply with the provisions of the New Jersey Radiation Protection Code.

Except as specifically provided by this license, the licensee may possess and use radioactive material described in this license only in accordance with statements, representations and procedures contained in application dated April 25, 1989 signed by Roger W. Haller, President.

m DEQ-031

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION BUREAU OF RADIATION PROTECTION 380 SCOTCH ROAD, TRENTON, NEW JERSEY 08628

RADIOACTIVE MATERIALS LICENSE

Pursuant to the New Jersey Radiation Protection Code, and in reliance on statements and representations heretofore made by the licensee designated below, a license is hereby issued authorizing such licensee to transfer, receive, possess and use the radioactive material(s) designated below; and to use such radioactive materials for the purpose(s) and at the place(s) designated below. This ense is subject to all applicable rules, regulations, and orders of the State Department of Environmental Protection, now or herearter in effect, and to any conditions specified below.

Radioactiv (element a	e Materials nd mass number)	7. Chemical and/or Ph	ysical Form	8. Maximum Quan Possess at Any (
Address	336 Leland Aven Plainfield, New		May 5. Reference N	1991	# 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Name	THE HALLER TEST	ING LABORATORIES		L-10130 Amendmended in its ent	
	LICENS	EE	3. License Nu	mber	

A. Radium 226 Beryllium

- A. Sealed Source by Amersham Corp., Model RAN W 25
- A. 5 sources not to exceed 25 millicuries

Authorized Use:

A. Radium 226

Radioactive material specified in Items 6, 7, and 8 are to be used in Seaman Nuclear Corp. moisture/density gauge, Model C-75 BP, instrument to evaluate moisture.

The sealed sources/devices specified in this license shall be used by trained persons and under the supervision of Roger W. Haller, President, V. Reddy Kancharla, Henry Bejgrowicz, Louis Esposito and Syed Hassan.

The licensee shall not open sealed sources containing radioactive material.

Sealed sources shall be tested for leakage and/or contamination at intervals not to exceed six months.

A. The test shall be capable of detecting the presence of 0.005 microcuries of removable radioactive material on the test sample. The test sample shall be taken from the sealed source and from the surface of the device in which the sealed source is permanently mounted or stored.

orm DEQ- 044

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY BUREAU OF RADIATION PROTECTION CN 411, Trenton, New Jersey 08625

Page _2_ of _3_Pages

License Number 10130

Amendment No. 4

RADIOACTIVE MATERIALS LICENSE

Supplementary Sheet

- B. If the test reveals the presence of 0.005 microcuries of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. Within five days after obtaining results of the test, a report shall be filed with the Department describing the circumstances, the test results and the corrective action taken.
- C. The sealed sources shall be tested for leakage and/or contamination by appropriately trained personnel.
- Repair, initial leak tests and disposal of sealed sources containing radioactive material shall be performed only by the manufacturer or by other persons specifically licensed by New Jersey or the Federal Government to perform this service.
- 14. The licensee shall make the following items available to their staff:
 - A. Copy of the New Jersey Radiation Protection Code.
 - B. Copy of the New Jersey State Radioactive Material License.
- no. The licensee shall post the following items in an area frequented by employees engaged in the use of licensed materials:
 - A. Notice to Employees BRP-14.
 - B. Appropriate signs and labels in areas and/or containers and equipment in which radiation and/or radioactive material are contained. These postings are to conform to Subchapter 10 of the Code.
 - The following records shall be maintained:
 - A. Survey instrument calibration at intervals not to exceed six months.
 - B. Sealed source leak tests at intervals not to exceed six months. Results are to be reported in microcuries.
 - C. Personnel dosimetry records including but not necessarily limited to name, birthdate, social security number, and prior employment exposure history.
 - The Radiation Safety Officer shall be responsible for ensuring that all individuals using the sealed sources/devices in this license are properly trained in the safe use and handling of the sealed sources/devices.

DEQ-044

STATE OF NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF ENVIRONMENTAL QUALITY BUREAU OF RADIATION PROTECTION CN 411, Trenton, New Jersey 08625

Page 3 of 3 Pages

License Number 10130

Amendment No.

RADIOACTIVE MATERIALS LICENSE

Supplementary Sheet

- The devices/sealed sources specified in this license shall be stored and transported in a manner to ensure against unauthorized handling, possession and removal. These devices/sealed sources shall be stored and transported in a manner optimizing the distance between the device and personnel.
- 9. Licensee shall comply with the provisions of the New Jersey Radiation Protection Code.
- O. Except as specifically provided by this license, the licensee may possess and use radioactive material described in this license only in accordance with statements, representations and procedures contained in application dated April 25, 1989 signed by Roger W. Haller, President and amendment request letters dated May 17, 1989 and June 19, 1989.

State of New Jersey

Department of Environmental Protection and Energy

a and the section of the section of

Bureau of Radiation Protection Radioactive Materials Section CN 415

Trenton, New Jersey 08625-0415 Phone $(609) - \bar{9}87 - 2132$

License # : 10130/00

Amendment #: 005

Radioactive Materials Licensee Data

Pursuant to the New Jersey Radiation Code, and in reliance on statements and representations heretofore made by icensee designated below, a license is hereby issued authorizing such licensee to transfer, receive or use the radioactive rial(s) designated below; and to such radioactive materials for the purpose(s) and at the place(s) designated below. This cense is subject to all applicable rules, regulations, and orders of the State Department of Environmental Protection Energy, now or hereafter in effect, and to any consitions specified below.

License # : NJSL-10130/00/005

Expires: 05/01/9#

Name : HALLER TESTING LABORATORIES

RSO: ROGER HALLER ADM : ROGER HALLER

Address: 336 LELAND AVENUE PO BOX 46

City : PLAINFIELD CITY

State: NJ Zip: 07061-0000

County: UNION

Phone: (908)-753-4637

5. Reference: 1395.00

Radioactive Materials Data

Radioactive Materials 7. Chemical and/or

Physical Form

8. Maximum Quantity Licensee May Possess at Any One Time (mCi)

RA-226

Sealed Source

25.0000

Authorized Use:

Radioactive material specified in Items 6, 7, and 8 are to be used in Seaman Nuclear Corp. moisture/density gauge, Model C-75 BP, instrument to evaluate moisture.

State of New Jersey

Department of Environmental Protection and Energy

Bureau of Environmental Radiation Radioactive Materials Section CN 415

Trenton, NJ 08625-0415 Phone (609)-987-2132

Amendment #:

Radioactive Materials License

- Radioactive material shall be stored at 336 Leland Avenue, 10.
- licensee shall not open sealed sources containing 11. The radioactive material.
- 12. Sealed sources shall be tested contamination at intervals not to exceed six months. and/or
 - The test shall be capable of detecting the presence of Α. 0.005 microcuries of removable radioactive material on the test sample. The test sample shall be taken from the sealed source or form the surface of the device in which the sealed source is permanently mounted or stored.
 - If the test reveals the presence of 0.005 microcuries of removable contamination, the licensee shall immediately withdraw the sealed source from use and shall cause it to be decontaminated and repaired or to be disposed of in accordance with the Department regulations. five days after obtaining results of the test, a report will be filed with the Department describing the circumstances, the test results and the corrective action
 - The sealed source shall be tested for leakage and/or contamination by appropriately trained personnel.
- Repair, initial leak tests and disposal of sealed sources 13. containing radioactive material shall be performed only by the manufacturer or by other persons specifically licensed by New Jersey or the Federal Government to perform this service.
- The licensee shall post the following items in an area frequented by employees engaged in the use of licensed
 - Notice to Employees -- RPP-14. Α.
 - Emergency procedures involving major, minor spills В. including the names and phone numbers of people to

State of New Jersey Department of Environmental Protection and Energy Bureau of Environmental Radiation

Radioactive Materials Section
CN 415

Page 3 of 4

日本経験関係がはたったの

Trenton, NJ 08625-0415 Phone (609)-987-2132

License # : <u>10130</u>

Radioactive Materials License

Amendment #: _____

- C. Appropriate signs and labels in areas and/or containers and equipment in which radiation and/or radioactive material are contained. These postings are to conform to Subchapter 10 of the Code.
- 15. The following records shall be maintained:
 - A. Sealed source leak tests at intervals not to exceed six months. Results are to be reported in microcuries.
 - B. Personnel dosimetry records including but not necessarily limited to name, social security number, and prior employment exposure history.
 - C. A log shall be maintained documenting the person(s) using the instrument, the dates the instrument was assigned and name and location of job site.
 - D. Survey instrument calibration at intervals not to exceed six months.
- 16. The sealed source(s)/device(s) specified in this license shall be used by trained persons and under the supervision of Roger Haller, Henry Bejgrowicz, Louis Esposito and Syed Hassan.
- 17. The Radiation Safety Officer and/or Radiation Safety Committee shall be responsible for ensuring that all individuals using the sealed source(s)/device(s) in this license are properly trained in the safe use and handling of the sealed source(s)/material(s).
- 18. The services/sealed sources specified in this license shall be stored and transported in a manner to ensure against unauthorized handling, possession and removal. These devices/sealed sources shall be stored and transported in a manner optimizing the distance between the device and personnel.
- 19. The instrument's instruction manual is to remain with the device at all times.

State of New Jersey
Department of Environmental Protection and Energy
Bureau of Environmental Radiation

Radioactive Materials Section CN 415

Page $\frac{\mathcal{H}}{\mathcal{H}}$ of $\frac{\mathcal{H}}{\mathcal{H}}$

Trenton, NJ 08625-0415 Phone (609)-987-2132

License # : 10130

Amendment #:

Radioactive Materials License

20. Except as specifically provided by this license, the licensee may possess radioactive material described in this license only in accordance with statements, representatives and procedures contained in application dated March 10, 1992 and signed by Roger W. Haller, President.

21. New Jersey Department of Environmental Protection and Energy Signature

For the State of New Jersey Department of Environmental Protection and Energy

Date Clpril 8,1992

By John Jeeney

ATTACHMENT CC

HWSUMCT2 12/17/91 COUNTY: UNION	NEW JERSEY DEPARTMENT OF E DIVISION OF HAZARDOU WASTE MANIFESTED - NEW JERSEY GE	S WASTE MANAGEMENT	PAGE 1	299
GENERATOR	WASTE WASTE NAME	QUANTITY SHIPPED		
NJD000632174 CONTINUED GULF OIL CORPORATION MARSCHES DOCK RD LINDEN , NJ NJD000632174		y de grande de estat de entre de entre de la composition de la composition de la composition de la composition	mineriore e esperante de la companya	e jan Turiffi e Beer Burde (Biffi)
	DOO1 CHARACTERISTIC OF IGNITABILIT FOO1 SPT HAL SOLVESLUDG DEGREAS OP X722 WAST OIL/BIM RES/COMM TANK CL X725 OIL SPILL CLEANUP MATERIAL	5,500,90		
HEH SWISS SCREW MACH PROD CO 1478 CHESTNUT AVENUE HILLSDIF NJ	,	42,560.40	nie – grund Lippe, i Clisto i 1870 billoch i 1980 b	nangarang sayand
NJD02150209	D001 CHARACTERISTIC OF IGNITABILIT F001 SPT HAL SOLVESLUDG DEGREAS OP X726 OIL/MT/ WRK-TURBN-DESEL-QUENG X900 CHEMICAL PROCESS-LIQUID, NOS	6,338.40 H 166.80		
HALLER TESTING LABORATORIES	TOTAL	50.04 12,393.24	open kan ber 1 species som en	
PLAINFIELD , NJ NJD986578284	FOO2 SPT HAL SOLVESTLBIM OF DEGREA	5 1,773.00 - 1,773.00 - 1,773.00		
HAMMER MFG. CO. INC. 417 COMMERCE RD. LINDEN , NJ NJD002187078	:			
HAMPTON INN NEWARK AIRPORT	DOO1 CHARACTERISTIC OF IGNITABLUIT	Y 3,526.20 3,526.20		
ELIZABETH , NJ NJD986574622	X725 DIL SPILL CLEANUP MATERIAL	235,872.00 235,872.00	THE STREET BANKS AND THE STREET	N ADVISORS & V
HANDLER MFG COMPANY INC 612 NORTH AVE EAST WESTFIELD , NJ NJD002146694				
	FOOS NONHL SOLV & STLBTM TOTAL	3,044.10 3,044.10		
		•	•	÷

A CHARLES BOOK SERVE

ATTACHMENT DD



COMPLIANCE EVALUATION INSPECTION PUBLIC COMMUNITY WATER SUPPLY



GENERAL INFORMATION	
PURVEYORY FACILITY ELIZABETHTOWN WATER COMPANY	
FILE LOCATION Plainfield, UNION COUNTY	PW-ID # 2004002
MAILING ADDRESS 1341 NORTH AVENUE, PLAINFIELD, 1	NJ 07061
ADMIN. NORBERT WAGNER, VICE PRES. OPERATIONS LIC	
BUSINESS TELEPHONE # Admin.: 908-654-1234 Licensed Operators: T-4 Ed A	
FACILITY DESCRIPTION	
SOURCES: descriptions, locations, capacities (mgd): SURFACE WATER FROM	RARITAN RIVER, AND
FROM THE DELAWARE AND RARITAN CANAL. THE	MILLSTONE RIVER IS
USED AS A BACKUP. THERE ARE 24 WELLS IN	SOMERSET AND
HUNTERDON COUNTY	Est Tot Eff Cap: APPENDIX A
TREATMENT: source, type, capacities(mgd): ALL WELLS HAVE HYPOCHLORIS	NATION. GAFENBROOK WELL
ARE TREATED BY AN AIR-STRIPPER OUE TO VOC CONTAMINA	TION. SURFACE WATER SUPPL
HAS SCREENING, THE ADDITION OF ALUM FOR COAGULATION, FAND POWDERED ACTIVITED CARBON FOR TASTE AND ODOR CON	Potessium PERMANGANATE
AND POWDERED ACTIVITED CARBON FOR TASTE AND ODOR CON SULPHURIC ACID AND LIME FOR PH ADJUSTMENT.	TROL, CAUSTIC SODA
COAGULATION, AND SEDIMENTATION. 30 MULTI- MEDIA FI FINISHED WATER STORAGE: descriptions, locations, capacities(mg):	LTERS.
SEE ATTACHED APPENDIX B	
	Est Tot Cap:
EMERGENCY INTERCONNECTIONS: descriptions, available gallonage(mgd):	
SEE ATTACHED APPENOIX C	
•	Est Tot Avail:
AUXILIARY POWER: location, type, capabilities:	
SEE ATTACHED APPENDIX D	
	•





NJDEP - DIVISION OF WATER RESOURCES PUBLIC COMMUNITY WATER SUPPLY INSPECTION



Page	2
- C-	-


		DELIVERY INFORMATION	• :	
PLANT DELIVER (mgd,mc	ED WATER onth, year) Max 138 MGD	7/92 Min 84.7	MGD 10/92 Annual Average 1	05.3 MGD 1992
BULK PURCHASE	S (provider mgd) NEW JER	SEY AMERICAN (.240), NE	WARK (.107), ELIZABET	ዞ (.009)
BULK SALES (cus	tomer, mgd) SEE ATTA	CHMENT "D" (38.68 MGD)		
NUMBER OF SER	VICES 171,849		% METERED	100 ·
MUNICIPALITIES (est. service		CHMENT "E"		
•				
			TOTAL ESTIMATED POPULATION SERVICED	515,523
CURRENT/RECENT WATER RESTRIC			·	
NEW CONSTRUCT (Project Num		PLANT (40 MGD), CANAL F	RD. FRANKLIN; 14 MG ta	nk, PRINCETON
DISTRIBUTION M	IAINS: Sizing 4"	(min) to60		
	Pressures 45 ps	si (min) to 120 p	OSi (max)	
	Hydrants/Flushing	Program 12021 hydrants/	<u>yes</u>	
		MONITORING & REPORTING	<u>.</u>	
	PARAMETER(S)	FREQUENCY REQUIRED	FREQUENCY PERFORMED]
	Lead and Copper	100/6 months 1992	100/6 months]
	Coliform	210/month	a; prox. 292/month	4
	Inorganics SECONDARY	1/year 1/year	1/year 3/92 1/year 3/92	- ·
	Trihalomethanes	4/year	4/year 1992	-
	Organics	1/3 years	1/year 7/92	†
	Turbidity	Daily	Daily	1 .
	Scdium	1/year point of ent.	1/year	1
	A-280	2/year/treatment sta	2/year 5/92,11/92]
	Radiological	4/4 years	4/4 years 3/92	. ↓
	Federal Regulated		4/year 1992	1
NAME OF LABORA	ATORY ELIZABETHTOWN	WATER CO. (PLANT LAB)	CERTIFICATION # .	18024
Q.C. INC., 1205 INDUSTRIAL HIGHWAY, SOUTHHAMPTON, PA. 3966 (cert.# 77166)				
COMPLIANCE EVALUATION				
SOURCE DEFICIENCIES SPRINGFIELD, ROSELLE, AND WESTFIELD WELL FIELDS HAVE BEEN ABANDONED				
PURSUANT TO N.J.S.A. 58:4A-4.1 AND HAVE NOT BEEN SEALED. CITY OF PLAINFIELD WELL AND				
WATCHUNG AVE. WELL HAVE BEEN ABANDONED. POLLUTION HAZARDS EXIST AT THESE WELL FIELDS.				
	ALSO SEE ATTACEMENT	"A"		
TREATMENT DEFICIENCIES				
	NONE			

Form DWR-143 7/81



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION DIVISION OF WATER RESOURCES ENFORCEMENT & REGULATORY SERVICES

COMPLIANCE EVALUATION INSPECTION PUBLIC COMMUNITY WATER SUPPLY



GENERAL INFORMATION
PURVEYOR Middlesex Water Company / Middlesex
FILE LOCATION Edison Twp end of Fairview Ave off Sutton Lu PW-ID # 1225001
MAILING ADDRESS 1500 Ronson Rd. Iselih, N.J. 08830-0452
ADMIN. J. R. Chard Tompkins BUSINESS 908 TELEPHONE # Admin.: 634-1500 Licensed Operators: T-4 REQUIRED T-4 LICENSES W-4 Dohald McCabe W-4
BUSINESS 908 634-1500 Rich Risoldi TELEPHONE # Admin.: 634-1500 Licensed Operators: T - 4 W - 4
FACILITY DESCRIPTION
SOURCES: descriptions, locations, capacities(mgd): D+R Cahal 20mgd + 5 for resale
Edison-Tingly Lane Well field North + South 9 wells (5.712), Thermal Well-!
South Plainfield-Park Ave. Well Field 15 wells (20.6),* Sprague Ave. Wells 1
Maple Ave. Well, Spring Lake Park 4 wells Est Tot Eff Cap: 51.312
TREATMENT: source, type, capacities(mgd): C.J.O. Surface Water Treatment Plant - Fairview Ave
flash mixer; pre-treatment alum, caustic, carbon, polymer; floculation + pre
chlorination; 4 settling basins, tube settlers, 8 sand filters; post chl.,
pH adj, zinc orthophosphate; swifer dioxide as needed Est Tot Eff Cap: 51.312
FINISHED WATER STORAGE: descriptions, locations, capacities(mg): 4 tasks
Edison - Grandview Ave. Standpipes 2.0 + 5.0 MG
at plant 10.0 MG ground tank end of Fairview Ave.
Carteret-ground tank 5.0 MG end of Pershing Avest Tot Cap: 22.0 MG
EMERGENCY INTERCONNECTIONS: descriptions, available gallonage(mgd): All back up sources are from
Elizabethtown Water Comp.; 20° Tingly Lane, 20° Sutton Lane, 16" Randolph Ave
12" Woodbridge Rd, 16" Wood Ave.,
Est Tot Avail:
AUXILIARY POWER: location, type, capabilities: Two Separate power lines at plant.
Aux diesel generators at plant storage tank + Carteret Storage
tank and at raw water intake.

ATTACHMENT DDY



NJDEP - DIVISION OF WATER RESOURCES PUBLIC COMMUNITY WATER SUPPLY INSPECTION



	65			
C.J.	o. Plant only	DELIVERY INFORMATION	1991	
		That July Min 0.28	Jah. Annual Average	2.95
4		bethtown Water C		could do make
1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1/ 1	<i>e</i> n		•	
NUMBER OF SER	vices 51, 966	sayreville, Maril	% METERED	.a or age
MUNICIPALITIES (est. services	VICES 51, 966 SERVED s in each) Day-ts of	Edison, Metu		infield.
	dge , Carter			
7,00			TOTAL ESTIMATED POPULATION SERVICES	£ 209.000
CURRENT/RECEN WATER RESTRIC			TO OLATION BERVICEI	9 40 1,000
NEW CONSTRUCT	110N W-04-92-	4609 New Park Ave	. treatment, storage,	booster, aerator
(Project Num	1,0	4468 new interconn		
DISTRIBUTION M	Precures	30 ps; (min) to 48"	//5 /AS; (max)	
	Hydrants/Flushing	Program 4,024/ohce	a year	····
		MONITORING & REPORTIN	<u>G</u>	
All .4 .	PARAMETER(S)	FREQUENCY REQUIRED	FREQUENCY PERFORMED],
All monitoring		2/yr. at 4 locations	8/Vr 1/92	Distribution
done 4t	Coliform Inorganics	120 d month	2/2 150-170 a math	Source
face water plant	Nitrate	a/3 years	2/3 yrs. 6-22-92	Source
well fields.	Trihalomethanes	QELY 4/Yr.	QUIY 8-16-92	Source
well (,aa,	Organics	I/ year	2/yr 6-29.92	Source
	Turbidity	Daily / continuous	Daily	Source
	Secondary	1/year	1/vr 6-29-92] Nistribution
	Radiological	1/4 years	2/4xrs 6-30-91	Source
	Special Organic's	1/5 yrs.	2/5 yrs 12-/6-88	Source
NAME OF LABORA	Accutest	Labs	CERTIFICATION #	12129
ADDRESS	ATORY Accutest Garden St Middlesex V	rate Labs		20044
ADDRESS	Fir adverses w			
		COMPLIANCE EVALUATION	<u>N</u>	
SOURCE DEFICIEN			 	
	None			· · · · · · · · · · · · · · · · · · ·
				
TREATMENT DEFI	ICIENCIES	-		
	None			

ATTACHMENT EE

GEOLOGY AND GROUND-WATER RESOURCES OF UNION COUNTY, NEW JERSEY

By Bronius Nemickas

U.S. GEOLOGICAL SURVEY
Water-Resources Investigations 76-73

Prepared in cooperation with

NEW JERSEY DEPARTMENT OF ENVIRONMENTAL

PROTECTION, DIVISION OF WATER RESOURCES



June 1976

The specific capacity of a well, the rate of yield per unit draw-down for some time interval, generally gallons per minute per foot of drawdown, can be a good measure of the transmissibility of the rocks. High specific capacities generally suggest a high coefficient of transmissibility, and low specific capacities generally suggest a low coefficient of transmissibility. However, specific capacity also is affected by the coefficient of storage, the thickness and boundary conditions of the aquifer penetrated by the well, and development and construction of the well.

For a more complete discussion of general ground-water hydraulics, the reader is referred to Theis (1935, p. 519-524), Ferris (1949, p. 226-272), Todd (1959, p. 77-114), DeWiest (1965, p. 161-183), and Davis and DeWiest (1966, p. 156-374).

Water-bearing Properties of Major Rock Units

Newark Group

Brunswick Formation

The Brunswick Formation of Late Triassic age is the major aquifer in Union County and underlies most of the county. Water in this formation occurs in joints and fractures. These joints and fractures become progressively tighter and fewer with increasing depth below land surface. Only moderate quantities of water can be stored or transmitted in these fractures.

Ground water occurs under both unconfined and confined conditions in the Brunswick Formation. Unconfined ground water occurs mainly in the upland areas where overlying unconsolidated sediments are thin or absent. In the lowland areas in the southern and eastern part of Union County the rocks are mantled by unconsolidated Pleistocene deposits that, in most places, contain silt and clay beds. In the lowland areas the silt and clay beds may confine water in the underlying rocks. Wherever such confinement occurs, water beneath the impermeable layers is under artesian pressure. In a few areas the artesian head is above land surface resulting in flowing wells. Locally, artesian conditions result from differences in permeability within the rock layers caused by varying degrees of fracturing, or weathering, or a combination of both.

Several pumping tests have been conducted on wells tapping the Brunswick Formation in Union County. The coefficient of transmissibility determined from five of these tests ranged from 5,900 to 25,400 gpd per ft; most of the values lie between 15,000 and 25,000 gpd per ft. The average coefficient of storage computed from these tests is about 0.00005.

Results of pumping tests indicate that the Brunswick Formation is anistropic; that is, its ability to transmit water is not equal in all directions. The greatest drawdowns caused by pumping are observed in wells aligned along the strike of the beds with respect to the pumping well. The smallest drawdowns are observed in wells aligned transverse to the strike (Vecchioli, 1967). These pumping test observations have been interpreted to indicate that joints and factures which strike parallel to the strike of the bedding are better developed and interconnected than joints and fractures which strike in other directions. Therefore, minimum interference between pumping wells in well fields tapping the Brunswick Formation can be achieved by aligning the wells across the strike of the beds rather than parallel to the strike.

The average reported yield of 230 public-supply, industrial, and commercial wells (table 4) tapping the Brunswick Formation is 200 gpm; yields range from 12 to 870 gpm. A better indication of the potential yield of properly located and developed wells tapping the Brunswick Formation can be obtained from analysis of yields of large diameter (10 inch or greater) wells. The large diameter wells, generally the deeper wells, represent attempts to develop the maximum supply of water. The average yield of 109 large diameter wells (table 4) is 310 gpm; yields range from 23 to 870 gpm.

The distribution of well yields is as follows:

	230 W <u>ells</u>	109 Large Diameter Wells
Yield (gpm)	18	2
0 - 50	~	9
51 - 100	42	8
101 - 150	36	
151 - 200	32	14
201 - 250	25	10
251 - 300	. 20	13
	16	15
301 - 350		7
351 - 400	10	6
401 - 450	6	
451 - 500	9	9
501 - 550	10	10
551 - 600	2	2
	/.	4
600	4	

Figure 9 shows the cumulative frequency distribution of reported yields of wells in the Brunswick Formation. It can be seen on the graph that 50 percent of the 230 wells have yields equal to or less than 180 gpm; 50 percent of the large diameter wells have yields equal to or less than 300 gpm. Many of the higher yielding wells occur where the Brunswick Formation is overlain by relatively thick, saturated glacial deposits that readily pass water downward into the fractures in

The specific capacities of 205 wells (6 to 12 inches in diameter) in the Brunswick Formation range from 0.04 to 25 and average 3.5 gpm per foot of drawdown; 14 of the wells have specific capacities greater than 10 gpm per foot of drawdown. The depths of the wells range from 100 to 1,108 feet and average 387 feet.

Figure 10 is a cumulative frequency distribution graph of specific capacities of wells tapping the Brunswick Formation in Union County. In figure 10, specific capacities are related to the well diameter. The larger diameter wells have the higher specific capacities. Median specific capacities are 1.7 for 6 and 8-inch diameter wells, 2.0 for 10 inch diameter wells and 3.1 for 12 inch and larger diameter wells. The higher specific capacities in the larger diameter wells can be attributed to better well development, well site selection and decreased well entrance losses.

In table 2, specific capacities are listed in percentile on the basis of depth of well drilled below land surface. In order to minimize the effect of well diameter on specific capacity, separate listings for larger and smaller diameter wells are given. Wells between 200 and 600 feet deep, in general have higher specific capacities than wells of shallower or greater depths. This relationship suggests that the best water-producing zones in the Brunswick Formation are encountered between depths of 200 and 600 feet. Below 600 feet the fractures and joints are less enlarged and generally drilling to greater depths will not produce

Wells tapping the Brunswick Formation generally draw water from several water-bearing zones. In areas where the rocks are exposed or covered by a thin layer of unconsolidated sediments the shallow waterbearing zones contain unconfined water to a depth of about 200 or 300 feet. If wells penetrate to depths between 200 and 600 feet one or more confined zones of greater permeability are intercepted. The wells that are drilled between 200 to 600 feet in general have the greatest yields.

Watchung Basalt

The Watchung Basalt is a minor aquifer and underlies the western edge of Union County. In this formation vesicles add primary porosity to the secondary porosity developed from the joints and fractures. However, all these openings constitute only a small part of the total volume of the basalt and their capacity to store and transmit water is poor.

ATTACHMENT FF

New Jersey Department of Environmental Protection Division of Hazardous Waste Management Heather Swartz June 28, 1991 Page 2

- 4. The unidentified "dirt" pile is composed of dirt and gravel moved during the construction of the concrete loading pad. Four (4) footings were constructed at that time to enable a roof to be placed over the pad at some future date. The dirt and gravel were left in a pile near the building.
- 5. The pipe from the roof to the driveway discharges storm water from the roof. Other roof drains discharge underground directly into the storm sewer system under Leland Avenue.
- 6. The white PVC pipe runs from the center of the ceiling into a roof drain. This pipe discharges storm water from a low spot on the roof.
- 7. All asbestos has been removed from the facility by C. C. Bruns Corp., Newark, New Jersey, a licensed asbestos contractor. C. C. Bruns was hired by the landlord to remove all asbestos from the building. The removal project began on June 7, 1991 making it impossible for us to construct a map showing any asbestos insulation. Final documentation from the contractor will be forwarded to NJDEP upon receipt from the landlord.
- 8. The white, milky liquid discharge noted was from the adjacent property, Haller Testing Company. Haller tests concrete cylinders for strength characteristics. The discharge is concrete and rinse water from washing the molds used to make the cylinders and is directed outside of their building by a pipe through their wall. Duragraphic Systems has no responsibility for this discharge.
- 9. Material from the sump, as well as from the bottom of the pit containing the wastewater pretreatment tanks was drummed for disposal. As noted in Item 3, this material was determined to be non-hazardous.
- 10. Pretreatment tanks have been removed and disposed of. The pit was inspected and found to have a solid, intact concrete bottom.

CORPORATE STATUS REPORT

DATE: 020293

CORP. NAME: THE HALLER ENGINEERING ASSOCIATES, INC.

CORP TYPE: FR

STATUS: ACTIVE: STATUS DATE: 000000

INCORPORATION DATE: 0506940 STATE: MA FOLDER NO: OC 014795

CORPORATION NO.: 4303001000 LAST ANNUAL REPORT: 83

REGISTERED AGENT: ROGER W. HALLER

REGISTERED OFFICE: 336 LELAND AVE

PLAINFIELD

NJ 07060



CORPORATE STATUS REPORT

DATE: 020293

CORP. NAME: THE HALLER TESTING LABORATORIES

CORP TYPE: DP STATUS: VOID STATUS DATE: 090188

INCORPORATION DATE: 0525927 STATE: NJ FOLDER NO: X 037711


CORPORATION NO.: 4303201000 LAST ANNUAL REPORT: 87

REGISTERED AGENT: ARTHUR H. MILLER

REGISTERED OFFICE: 96 PATERSON ST.

NEW BRUNSWICK , NJ 08901


PHOTOGRAPHS



NORTHEAST SIDE OF SITE - LELAND AVE.




EAST SIDE OF MAIN BUILDING




NORTH SIDE OF MAIN BUILDING




NORTHWEST SIDE OF MAIN BUILDING










SOUTH CORNER OF STITE







SOUTH OF SMALL BUILDING (EMPTY DRUMS)



